



Professor Pierre Legendre
Full professor, Département de sciences biologiques,
Université de Montréal
Canada

Montreal, 31 January 2024

World Cultural Council
Case Postale 373
1630 Bulle 2
Switzerland
nominations@consejoculturalmundial.org

Subject: Nomination of Professor Pierre Legendre for the *Albert Einstein World Award of Science*

Distinguished members of the Selection Committee,

Considering his immense contribution to the development of *Numerical Ecology* as a new, dynamic branch of ecology, his teaching around the world to graduate students and to researchers, and his deep impact on the international researchers community, it is my privilege to nominate Professor Pierre Legendre for the Albert Einstein World Award of Science.

Importance of his scientific achievements

With the advent of computers in the 1950's, ecology, which was previously mostly descriptive, evolved to become a hypothesis-testing science. The use of quantitative data to test hypotheses grew with the availability of methods of data analysis. Statisticians and methodologists in application fields had been at work since the beginning of the 20th century, developing general-purpose methods of data analysis. It is in this dynamic context that *Numerical ecology* emerged, with ecologists developing specific methods of analysis to address ecological questions; they did that by integrating specific elements of ecological theory, like niche, indicator species, and beta diversity theories, into the methods of analysis. Under the lead of Pierre Legendre, a new generation of mathematically-trained ecologists was mobilized to develop the new research field. A network of contributors to Numerical ecology is shown in an encyclopaedia article by Pierre Legendre (2019) describing the development of Numerical Ecology¹. This network shows that the development of numerical ecology has been the result of a broad and fruitful collaboration among many scientists, with Pierre Legendre at the centre of the action.

Numerical Ecology is the field of quantitative ecology devoted to the numerical analysis of multivariate community data, aimed at understanding the processes that generate and maintain biodiversity in ecosystems. Community ecologists are among the primary users of these methods.

In quantitative ecology and ecological statistics, Pierre Legendre is by far the most highly cited. Among the leading ecologists worldwide, he is ranked seventh by Google Scholar for the number

¹ http://www.numericalecology.com/Reprints/Legendre_Numerical_Ecology_EoE2_2019.pdf

of citations by his peers². In the *Community ecology*, *Beta diversity*, *Phylogenetic analysis* and *Multivariate statistics* specialties, he ranks first worldwide. In the field *Environment/Ecology*, he is the only scientist worldwide, all environmental disciplines included, who has been *Web of Science Highly Cited Researchers* in all lists published during 21 years, firstly in 2001, then every year from 2014 to 2021.

His innovative work has revolutionized the way ecologists extract information from data to answer pressing questions about the preservation of biodiversity and the future of ecosystems. As the founder of the field of Numerical Ecology, he has contributed extensively to its development in the primary scientific literature over the past 45 years, with over 300 peer-reviewed papers, 13 textbooks and 22 book chapters. His 10 most important scientific contributions to that field are listed in an appended document.

His research papers have been cited more than 50,000 times according to Clarivate Web of Science and, adding his books and software, more than 145,000 times according to Google Scholar. During his highly productive career, he has combined ecology and mathematics, inventing, describing, programming and teaching new statistical methods designed to address urgent ecological problems, at home and around the world. These methods allowed ecology to make important progress in the computer age.

The statistical ecology work of Pierre Legendre is grounded in fundamental contributions to ecology. He was among the first ecologists (with Simon Levin, another Google Scholar highly cited researcher in ecology) to develop the paradigm of the importance of spatial structures for ecological theory; this key message from one of his highly cited papers (1993, cited 4,500 times) has revolutionized the way ecologists now approach ecosystems. Prior to that, spatial relationships among observations in ecosystems were mostly considered to be statistical nuisances. In that paper, Legendre explained that these spatial structures are a fundamental property of ecosystems, one that creates the conditions for their functioning as ecological and thermodynamic machines. This idea is now widely accepted among researchers. After nine more years of research, he and ecologist Daniel Borcard developed a new approach, called Moran's Eigenvector Maps, which allows ecologists to dissect ecological patterns among spatial scales, in order to identify the processes acting at these different scales; this new approach provides input to another type of analysis, variation partitioning, which had been developed and published by the two colleagues in 1992. The paper describing Moran's Eigenvector Maps analysis, published in 2002, is also one of Legendre's highly cited papers. This shows that the new concept and method are largely accepted and used today by ecologists. In 2014, he extended this method of analysis to temporal processes and spatio-temporal analysis. Studying how ecosystems are organized in space and the conditions that allow them to function through time are especially important for decision makers who are now discussing how to slow or reverse the degradation of ecosystems that has taken place during the recent Anthropocene.

Legendre is a very active researcher. During the last six years (2017–2022), he published 45 refereed papers and book chapters, eight of them as first or single author; the other papers were written with graduate students, postdoctoral researchers and colleagues. His students and himself spoke at 27 national and international conferences and presented 14 research seminars on invitation in universities and scientific institutes.

A long, creative quest

Early in his career, Pierre Legendre undertook to synthesize the information available in the scientific literature about the statistical analysis of ecological community and ecosystem data; these data are multivariate by nature (i.e., they contain many variables, including the hundreds or thousands of species forming ecological communities). He had been trained in this type of analysis during his Ph.D., obtained in 1971 at the age of 24, during which he studied and contributed to the development of a new research field, numerical taxonomy. He carried out that synthesis work with his brother, the oceanographer Louis Legendre. They set the bases for a new branch of ecology, which they called *Numerical Ecology*, in a book first published in French by

² https://scholar.google.com/citations?view_op=search_authors&hl=en&mauthors=label:ecology

Masson (Paris) in 1979. Then the brothers prepared a first English edition published by *Elsevier Science* (Amsterdam) in 1983. It was followed by a second French edition in 1984, then a second and a third English editions in 1998 and 2012.

The development of statistical methods is an intrinsic part of Legendre's research on ecological processes, where he iterates between testing ecological hypotheses and devising statistical models. Besides his new methods, he has published with his graduate students, postdoctoral researchers and other collaborators a wide variety of applications of numerical approaches to the analysis of real ecosystems, sometimes exotic, located in different parts of the world, like Pacific atolls, hydrothermal vents in the sea abyss, and tropical forests in China and other countries, where he has done field work.

Computation methods have radically changed during the past decades. From 1972 to 2004, Legendre and researchers in his lab wrote and distributed, for free, programs written in the Fortran and Pascal computer languages, promoting the *Open Source* approach to science well before it was officially defined <<http://opensource.org/definition>>. In 2004, they moved to the *R Statistical Language*, developed for statistical analysis, to which scientists around the world are contributing; it is freely available for all computer platforms and operating systems, in particular MS Windows, Mac OSX and Linux. On that same year (2004), Legendre started teaching undergraduate and graduate students how to use R. He then translated most of his lab's previous Fortran and Pascal software to the R language, and that software is now distributed in major R packages, including *vegan*, *ade4* and *ape*, as well as a package developed for spatial and temporal analysis of ecological data, *adespatial*, which was released on the CRAN site in May 2016. The most recent developments are made available on the Legendre lab Web page (numeralecology.com).

As he was working on the 3rd English edition of *Numerical Ecology*, Pierre Legendre asked his colleague Daniel Borcard to take the lead in the preparation of another book that would describe how to compute the different statistical analyses discussed in the then upcoming edition (called "the green book" by students because of its cover) using R software. In 2011, Borcard published the new "orange book", *Numerical Ecology with R*, with François Gillet (Université de Besançon, France) and Pierre Legendre as co-authors³. The stage was set for launching the 3rd English edition of *Numerical Ecology*, which appeared in 2012. The science reported in Legendre's "green book" is first-hand, based to a great extent on his own methodological research and his field experience in community ecology.

Impact of his work

The *Numerical Ecology* handbook is the most widely used book on the subject in the world. Its success is attested to by its citation rate: over 27,000 citations across all editions and languages. Graduate students and researchers around the world study the statistical methods in this book and write to Pierre Legendre for advice on study designs or the most appropriate procedures for the analysis of their data. Legendre receives dozens of messages on this topic every week. Acting as a one-person centre for consultation on numerical ecology, he answers personally, providing advice, warnings, computer functions and references.

Instead of enumerating all research fronts to which Legendre has contributed, I will particularly outline one example where his contributions have changed the way researchers study ecosystems.

The role of space — Ecologists have long been interested in using spatial data about their sampling units in ecosystems to model the spatial organization of multispecies communities. However, the similarity of communities that are close to one another in space produces spatial autocorrelation in the data, a phenomenon which invalidates the tests of significance of the

³ A 2nd English edition of the R book was published by Springer in March 2018. Two Chinese editions were published by Higher Education Press, Beijing, in 2014 and 2020. An edition in Japanese was published in Tokyo by Kyoritsu Shuppan Co. Ltd in February 2023. A French edition is in preparation; the project has been accepted by Presses de l'Université de Montréal.

relationships between community structure and environmental variables. The spatial dependence of observations, which is so prevalent in nature, means that the conclusions drawn from statistical tests are invalid in many cases in ecology and geography. Pierre Legendre was among the first ecologists to recognize this problem and propose solutions. In the late 1980's and early 1990's, he published a series of fundamental papers on spatial correlation, the detection of spatial patterns in ecosystems, and the analysis of heterogeneous phenomena in space, either as single author or with his graduate and postdoctoral students. Ecologists are still referring to these papers with respect to how to conduct surveys through space. — Ways of handling and controlling for spatial dependence in statistical tests are now available; they are described in “the green book” and are now available in the form of R functions to all researchers.

A key paper in that series, published in 1993 in the leading journal *Ecology*, is entitled “Spatial autocorrelation: Trouble or new paradigm”. It is considered a classic in ecology, with more than 4,500 citations. A series of papers followed in the 2000s, developing the analysis of multi-species data matrices sampled through space. One of these papers presented a major discovery: with his colleague Borcard, Legendre showed how it was possible to model community composition data at multiple spatial scales, distinguishing the signature of driving phenomena at (for example) broad, intermediate and fine scales, and relating the variation at specific scales to particular environmental processes. A few years later, he extended that method to the analysis of phenomena that are caused by directional physical processes, like the dispersion of plankton by oceanic currents (paper 3.182 in Publication list). It was then extended further to the analysis of temporal and spatio-temporal community composition data (paper 3.259).

In parallel to the development of multi-scale modelling, Legendre devoted a great deal of his research effort in the last decade to the ecological processes that generate and maintain the spatial differentiation of ecological communities among sites, called *beta diversity*, in ecosystems. This is an important property, targeted presently by ecosystem protection and management measures. This line of research has led to a series of works by which he first showed that beta diversity can be correctly estimated by the variance of the community composition data (paper 3.161) and that this beta index can be decomposed into Local Contributions to Beta Diversity (LCBD) and Species Contributions to Beta Diversity (SCBD; paper 3.254). He then developed the idea of statistically comparing successive surveys of a set of sites. Such repeated surveys are routinely conducted by various research organizations, like the forest dynamics plots associated with the Forest Global Earth Observatory (ForestGEO), and in government departments devoted to nature conservation. He has also shown (paper 3.204) how space-time interaction can be tested for significance in these highly multivariate data, in the absence of replication, and how a significant space-time interaction indicates that the spatial structure has changed among surveys, this being the signature of a climatic, anthropogenic, or other broad-scale change in the ecological communities of the survey area.

The most recent development focuses on temporal beta diversity. The basic question is: in what ways do the observations at individual sites differ between surveys conducted at time 1 (T1) and time 2 (T2)? In particular, are there sites with exceptional changes in community composition between T1 and T2? And what do these changes consist of? Legendre worked with researchers and graduate students from labs in different countries who were posing these types of questions, developing a statistically valid way to answer them. Four application papers from four different ecosystems and parts of the world appeared in high-level ecology journals (papers 3.274, 3.289, 3.294 and 3.308). The manuscript fully describing the method was published in March 2019, immediately followed by a paper presenting an elaborate application of the new method to the well-known Barro Colorado Island Forest Dynamics plot in Panama (papers 3.304 and 3.305).

A surprising diversity of applications — Pierre Legendre has not only advanced knowledge in community ecology, his field of expertise. He has also provided essential keys to researchers in related disciplines, from geography and earth sciences to oceanography. In each of these disciplines, he introduced new concepts and proposed novel perspectives on nature. For instance, with colleagues in the social sciences, he published spatial analyses of sociological and criminological data. One of his surprising contributions was a study (3.73 in CV) that used tasting data on single malt Scotch whiskies to illustrate the generality of application of some methods of comparison of data sets used by ecologists and practitioners working in other disciplines. In 2004, he used the whisky data again to illustrate a new method of concordance analysis of several data

sets, which he published in a statistical journal (paper #3.153). He then immediately published, in an ecological journal, an application based on this method to identify species associations in ecosystems (paper #3.160, 2005).

Research and teaching going hand in hand

Pierre Legendre has taught quantitative methods to large classes of undergraduate students at Université de Montréal for 25 years. He has also taught methods of multivariate analysis to graduate students during 45 years, a course that he is still offering once a year. He received the *Excellence in Teaching Award* from his university and a similar one from his faculty (Arts and Science). For him, teaching and research are intertwined activities in the lives of university-based researchers. Research satisfies the curiosity of scientists, while teaching provides opportunities to explain the results of research to the next generation. It incites professors to dig into their knowledge in order to fully understand what they are teaching, which is a condition for delivering clear explanations of complex subjects; it also leads, in return, to better research. In his teaching of biological statistics to undergraduates, and of numerical ecology to graduate students, Legendre has always favoured research-teaching cross-fertilization. This made it possible for him to publish the great books that students and researchers read and refer to.

As his papers and first books became known, Legendre started receiving invitations to develop short courses of 1 to 5 days on numerical ecology, firstly in France, Italy, Belgium, Spain, Norway and the USA. From 1990 to 2000, he was part of a team of three specialists who taught introductory classification methods to new participants, before the annual meetings of the Classification Society of America. He kept accepting invitations and altogether he has now given 87 such short courses at 56 universities and scientific research institutes in 19 countries around the globe. This is another measure of his recognition as a numerical ecologist and a teacher. As an example, during the summer of 2021, he gave a new advanced short course on time series analysis, on-line, to 60 scientists from 23 countries around the Atlantic Oceans, North and South, who were participating in the iAtlantic international research effort.

Legendre derives intellectual profit from these short courses: they provide opportunities to discuss with colleagues and graduate students around the world about their research, to build international collaborations, discover new ecological data and questions, and elaborate new statistical methods to answer these questions. Fundamentally, he strongly believes that young researchers — the future of ecology — ought to receive the best possible training, including in developing countries.

Inspiration for future generations

At all university levels, Pierre Legendre is an outstanding teacher. He is enthusiastic, rigorous and open, and he expresses his passion for good science. He has a talent for explaining complex statistical methods in a clear way and making them understandable to students. In return, he encourages students to attain high levels of achievement during their academic formation. At the graduate level, he has supervised 22 M.Sc. and 16 Ph.D. students as well as 27 postdoctoral researchers, in addition to the great many researchers who visit his lab for weeks or months each year to learn from him. Of these students and postdoctoral fellows, many are pursuing brilliant careers as academics or researchers in Canada and abroad. As described in the previous section of this letter, he has been called upon to give advanced courses of numerical ecology in many countries. This is a genuine measure of his international standing.

One of the most striking things for visitors is the dynamism and creative climate prevailing in his lab. This research cauldron reflects Legendre's method for generating discoveries: ideas pop up and are discussed to generate new ways of looking at nature and unveil its secrets. Pierre Legendre is literally at the centre of this activity, physically and intellectually. His constant interaction with graduate students and postdoctoral researchers allows his group to revisit ecological concepts and solve the problems they encounter. Because of this intensive atmosphere of discovery, his lab is recognized as an ideal workplace for graduate students and researchers. One quickly understands the great respect Legendre has for his students and collaborators, to whom he provides the intellectual room and autonomy they need.

International standing

A tremendous ambassador for the field of numerical ecology, Pierre Legendre has given lectures on all continents except Antarctica. He has presented more than 300 contributed papers at national and international conferences, including many keynote lectures, as well as more than 350 research seminars at universities and research institutes around the world. These realizations are quite remarkable for their coverage, considering the great variety of topics and themes discussed in his contributed papers and seminars.

At the international level, Pierre Legendre has seen his exceptional achievements recognized or rewarded in various ways (more details in his CV, pp. 2–3):

- Member of the editorial committees of several scientific journals.
- Director of the *NATO Advanced Research Workshop on Numerical Ecology* held at Roscoff (Brittany, France) in June 1986;
- Recipient of the *Distinguished Statistical Ecologist Award* of the *International Congress of Ecology* (INTECOL) in 1994, an honour that he shared with Sir Robert May, who was then the Chief Scientist of the UK and President of the Royal Society, and Sir Richard Southwood, Emeritus Professor of Zoology at Oxford;
- Secretary-treasurer of the *International Federation of Classification Societies*, 1988 to 1992;
- President of the *Numerical Taxonomy Conference* in 1995–1996;
- Elected Corresponding Member of *Academia Mexicana de Ciencias* (AMC) in 2016 (officially inducted in 2018);
- Honorary life membership, awarded in 2019, of the *Sociedad Ibérica de Ecología*, a new scientific society which brought together ecologists from the entire Iberian Peninsula;
- Laureate of the *2019 Alexander von Humboldt Medal for Excellence in Vegetation Science* from the International Association for Vegetation Science (IAVS);
- Invited Professor in universities in 19 countries: Australia, Belgium, Brasil, Canada, China, France, Guadeloupe, Italy, Mexico, New Caledonia, Norway, Panama, Scotland, Spain, Sweden, Switzerland, Taiwan, the USA and Wales.

Pierre Legendre has also received many of the highest Canadian prizes and awards a scientist can receive. Notably, he was elected *Fellow of the Royal Society of Canada* (Academy of Science) at the age of 45 and appointed as a *member of the Order of Canada* in 2021. He received a *Killam Research Fellowship* from the Canada Council for the Arts and the *Romanowski Medal* from the Royal Society of Canada, the *Prix Marie-Victorin* from the Government of Québec for highest achievements in research in pure and applied sciences, the *National Order of Québec*, the *Career Achievement Award* from the Canadian Council of University Biology Chairs, and the *President's Award* from the Canadian Society for Ecology and Evolution. In 2015, he was recognized as *A Legend in Canadian Fisheries Science and Management* by the Canadian Aquatic Resources Section of the American Fisheries Society.

In 2015, as part of its Centennial celebrations, the Ecological Society of America assembled a list of 115 papers published in its journals, considered to represent key contributions to the development of ideas and methods in ecology; three of these papers were signed by Pierre Legendre.

That Pierre Legendre was a *Web of Science Highly Cited Researcher* for 21 years is the most tangible testimony to his scientific influence and stature in international academia.

*

Changes of paradigms in science are initiated by scientists who dare to look at problems differently. Pierre Legendre launched such a change in ecology when he proposed that the spatial structure of communities should be studied in detail, as a way of understanding the underlying

ecological processes. In response to this proposal, researchers are now advocating spatial structures in new theories about the processes of recolonization and the generation of ecological variation through space, which create and maintain beta diversity in ecosystems.

In 50 years of persistent work, Pierre Legendre has developed and given substance to a new field of science, Numerical Ecology. And, as he kept developing concepts, methods and applications, he travelled around the world, teaching students and researchers how to use the new methods to help solve current ecological problems on Planet Earth.

I hereby nominate Pierre Legendre for the *Albert Einstein World Award of Science 2024*, with the conviction that this accomplished scientist and pioneer, who has forever changed the way we think about the spatial structure and processes of ecosystems, will do honour to this prestigious distinction.

Sincerely,



Daniel Jutras, O.C., Ad. E.
Rector



INSTITUTO DE CIENCIAS DEL MAR Y LIMNOLOGIA

APARTADO POSTAL 70-305

MEXICO 04510, D. F. MEXICO

January 24, 2024

Mr. Daniel Jutras
Rector of the University of Montreal

Distinguished Mr. Jutras,

I feel honored to write this reference letter in support of Professor Pierre Legendre's nomination to the 2024 Albert Einstein World Award of Science of the World Cultural Council (WCC). I met Prof. Legendre over 20 years ago in Montreal while I was on a sabbatical leave at the University Laval in Quebec. As student and early career scientist I had read all his books on Numerical Ecology, a theme that has been a priority in environmental sciences, ecology and biology to understand the patterns of the distribution of life. The extended discussion on methodological design and ecological statistics was a very positive opportunity that evolved into a great collegial relationship and scientific interaction that transcend to generations of students in Mexico.

As part of the international scientific community, my research group and I recognize Prof. Legendre's stature one of its kind and highly inspirational. Today, when loss of biodiversity requires data, information to assess change to understand the future trend of ecosystems, his work in numerical ecology stands out. I find his contributions to knowledge, visionary, innovative and exceptionally revolutionary. Prof. Legendre is an eminence in the field of quantitative ecology and ecological statistics as attested by his scientific impact.

As founder of the field of numerical ecology, Prof. Legendre has transcended disciplines. His work stands as timeless testaments to great thinking contributing extensively to Numerical Ecology's development over the past 45 years, publishing over 320 peer-reviewed papers, 22 book chapters and 12 textbooks that address and exemplify this state-of-the-art field, and maintaining it in continuous evolution. He is an international ambassador for the numerical ecology and hence highly laureated, highly Cited Researcher in Environment/Ecology with close to 150 000 citations and an extraordinary Hirsch Index of 130.

It was in the late 1990s that I first met Professor Legendre and had the opportunity to discuss with him the results of my research at Instituto de Ciencias del Mar y Limnología (ICML) of Universidad Nacional Autónoma de México (UNAM). This meeting initiated a

fruitful scientific collaboration between us, which has continued since then through exchange visits, seminars and teaching sessions, welcoming my students in his laboratory, too.

I hereby would like to point out the remarkable partnership and friendship that have allowed me to collaborate with him in deep sea benthic community research and be able to discuss important ideas in aspects of macroecology. Professor Legendre came to UNAM (México) on three occasions, in 2003, 2008 and 2011, where he gave intensive one-week courses to UNAM graduate students. He came again in March 2018 for his official induction into Academia Mexicana de Ciencias (AMC) as a foreign member, where he had been elected in February 2016. In addition, he spent the week giving seminars to different departments and institutes of UNAM and discussing their research with graduate students. He also collaborated personally with some of our graduate students, giving them advice about the analysis of their thesis data, and this led to joint publications. My students and I respect and appreciate his dedication to the development of Numerical Ecology. On a personal note, I can say his mentoring has been very meaningful to me.

Through research seminars, short courses, and online teaching materials he has integrated an international network of experts in themes derived and inspired by his work. The enduring contribution of Prof. Legendre is unique and in an outstanding way is a driving force in the international courageous intellectual constructs that have inspired and will continue inspiring generations to come.

I can only express myself of his outstanding work with admiration, attest to the importance of his academic work and highlight his breakthrough contributions to research and their impact on knowledge. His exceptional realizations are based on best practices and robust analytical work that support policy drafting and decision making to achieve a better understanding of the patterns of life. Prof. Legendre's ideas and research results contribute highly to society, to global intellectual and cultural life through the diverse applications of his work to find solutions to urgent environmental problems, providing a great service to humankind's wellbeing as part of the planet's biodiversity.

There is no doubt for me that Prof. Pierre Legendre deserves to be fully recognized with the 2024 Albert Einstein World Award of Science because his academic performance is an impeccable, it contributes as a timeless testament to great thinking transcending generations and disciplines. May you require further information, please feel free to contact me. I will be very pleased to expand whys and wherefores for it.

Sincerely,



Prof. Elva Escobar-Briones, Ph.D.

Biodiversity and Macroecology Laboratory

Member and Board of Directors of Academia Mexicana de Ciencias (AMC)



Bergen, 29. January 2024

Dr Daniel Jutras
Rector, Université de Montréal
PO Box 6128, Downtown Station
Montréal, Quebec H3C 3J7

Dear Dr Jutras,

Thank you for your e-mail of 22th January inviting me to write about the nomination of Professor Pierre Legendre for the Albert Einstein World Award of Science of the World Cultural Council 2024. I am delighted to write, as Pierre Legendre is not only one of Canada's most **distinguished scientists** in the fields of biology and ecology, but he is also one of the **world leaders** in the field of numerical ecology.

I have known **Pierre Legendre** personally for about 30 years. We ran an international graduate course together on spatial data analysis. I have visited his laboratory in Montréal and we are in regular e-mail contact. One of my post-doctoral fellows, Dr Einar Heegaard, worked in Legendre's laboratory in Montréal. In 2012 Pierre and I co-authored two extensive review chapters on Clustering and partitioning and on From classical to canonical ordination in a book on Data handling and numerical techniques in palaeolimnology and palaeoecology published by Springer. I have followed with great interest Legendre's publications since about 1970. I am thus very familiar with Pierre Legendre, his work, and his standing internationally.

Pierre Legendre is, without doubt, one of the world foremost scholars in the field of numerical ecology. He has written outstanding textbooks on *Numerical Ecology* (2012, now in its third English edition) and his book with colleagues on *Numerical Ecology with R* (2018, in its second edition in the Springer Use R! series). Legendre has made many major and innovative contributions to numerical analytical problems including to analysing spatially distributed biological data; to numerical taxonomy and phylogenetics; to the testing of ecological, morphological, and phylogenetic hypotheses by means of cleverly designed permutation tests; to the analysis of data at a range of spatial scales; to the analysis of different aspects of diversity including landscape genetics and components of beta diversity; and to the interface between numerical ecology, applied statistics, and statistical theory. His research work and his publications are consistently an impressive mixture of challenging biological problems, relevant and often innovative statistical techniques, and elegant answers to the original biological problem. He has a most impressive international publication record that is widely cited world-wide with a staggering 148,000+ citations and an h-index of 128 according to Google Scholar, a clear indication of the great value and scientific importance of his work, and of his position as a world leader in the field of numerical ecology.

His research work on the rigorous numerical analysis of spatial ecological data from terrestrial, freshwater, and marine systems has been shown to be of great importance in practical problems of prediction of change, management, resilience, and stocking. Through his innovative and rigorous

numerical approaches, he has contributed to the understanding of many environmental problems, particularly in freshwater and marine systems.


Besides being an outstanding researcher and highly productive scientific publisher, Pierre Legendre is also an extremely gifted teacher and supervisor in Montréal and elsewhere in the world. He has given many international courses around the globe. He is also extremely generous in making available to the international research community his newly developed computer software programs. Through his outstanding publications, his elegant software, his superb teaching, and his many international activities, Pierre Legendre is clearly one of the world leaders in the field of numerical ecology. When I have visited his laboratory, I have met young colleagues from, for example, Russia, China, France, Finland, Venezuela, and Australia. It is always an exciting and vibrant environment with Pierre deeply involved and actively contributing to the many research projects currently underway in his laboratory. Pierre Legendre is a truly amazing scientist who has made many major academic contributions.

He has mentored many young researchers from several countries who have gone on to develop strong international profiles in quantitative ecology including Marie-Josée Fortin, Stéphane Dray, Pedro Peres-Neto, Pierre Dutilleul, Daniel Borcard, Marti Anderson, Miquel de Cáceras, Guillaume Guenard, Fang He, and Hanna Tuomisto.

Pierre Legendre is one of a very small group of researchers who was trained as a biologist but who has made impressive and highly original contributions to the fields of applied statistics, biometrics, and spatial statistics. These have resulted in many publications in leading statistical journals such as *Journal of Classification*, *Environmental and Ecological Statistics*, *Journal of Statistical Computation and Simulation*, and *Journal of Agricultural, Biological, and Environmental Statistics*. He is very highly regarded both in the fields of numerical and quantitative ecology and evolutionary biology and applied statistics and biometrics.

Given his truly outstanding scientific contributions, publications, and influence, and his well-earned position as one of the world leaders in the field of numerical ecology (and also numerical biogeography and phylogeography), I am very delighted to support this nomination of Pierre Legendre. He is an outstanding and very deserving candidate for the Albert Einstein World Award of Science 2024. He is one of Canada's leading scientists with a superb research profile as well as being an outstanding teacher and mentor and most generous colleague. He is one of the top stars in international ecological and environmental science.

Yours sincerely,



H John B Birks

Professor Emeritus, University of Bergen
Professor Emeritus and Honorary Fellow, University College London
Corresponding (Foreign) Fellow, Royal Society of Edinburgh
Foreign Member, Norwegian Academy of Science and Letters
Foreign Member, Royal Swedish Academy of Sciences

Grounds for nominating Professor Pierre Legendre for the Albert Einstein World Award of Science 2024

Pierre Legendre is professor at Université de Montréal in Canada. He contributed broadly, extensively and uniquely to the field of Numerical ecology (see box) over the past 50 years. Indeed, he is at the origin of numerical ecology as a scientific discipline; he designed many new numerical methods of ecological data analysis, and he used them to enrich general ecology and broaden its applications. He spearheaded its development internationally, making it known to researchers and students around the world. He achieved this outstanding success by publishing textbooks and research papers, producing and distributing software for new methods, giving courses in his university and all over the world to cohorts of graduate students and large numbers of researchers, and making learned presentations.

Numerical Ecology is the field of quantitative ecology devoted to the numerical analysis of multivariate community data, aimed at understanding the processes that generate and maintain biodiversity in ecosystems. Community ecologists, whose data are multivariate by nature (many species, many environmental variables), are among the primary users of these methods.

An encyclopaedia article written by Pierre Legendre (2019), describing the development of Numerical Ecology, is available on his web page (publ. #2.18 in Publication list).

Professor Pierre Legendre is *the only scientist worldwide* who has been listed as *Web of Science Highly Cited Researchers* in the field of Environment/Ecology in all records published over 21 years: i.e., in 2001, then 2014–2021. His *h*-index is 128 on Google Scholar and 84 on Web of Science. Google Scholar ranks Legendre among the top seven ecologists worldwide in number of peer citations, and reports that the book *Numerical Ecology* was cited over 27,000 times. He has been elected Fellow of the Royal Society of Canada (Academy of Science) in 1992 and Corresponding Member of Academia Mexicana de Ciencias in 2016. He received national and international prizes and honours listed in his CV. His approaches are uniquely original and productive, as described in the following five points.

First, Pierre Legendre not only created the new discipline of numerical ecology, he also developed it as a full-fledged component of ecology during decades of high-quality work. To do so, he published over 300 research papers on numerical ecology and community ecology in the best ecology and ecological statistics journals, plus 22 book chapters and encyclopaedia articles about applications of numerical methods to address ecological research problems. In addition to his papers, he also wrote a textbook where the expression *Numerical ecology* was proposed, in French (*Écologie numérique*, editions in 1979 and 1984) and in English (*Numerical Ecology*, editions in 1983, 1998 and 2012). The book expanded into new editions as the discipline developed into a new field of science. These books are the most widely read and cited in the world in quantitative ecology. The companion textbook, *Numerical ecology with R* (2011, 2018), written with two colleagues, has been translated to Chinese (Higher Education Press, Beijing, 2014, 2020) and Japanese (Kyoritsu Shuppan Co., Tokyo, 2023).

Second, Pierre Legendre used numerical ecology methods to break new grounds in fundamental ecology. One of his major contributions to theoretical ecology has revolutionized the way ecologists now approach the study of ecosystems by showing that spatial structures are not a statistical nuisance, but represent instead a fundamental property of ecosystems, which creates the conditions for their functioning as ecological and thermodynamic systems. The response to this 1993 *new paradigm* paper was enthusiastic (#3.69 in Publication list, 4595 citations to date), and ecologists are now advocating spatial structures in new theories about the processes of recolonization and the generation of ecological variation through space, which create and maintain *beta diversity* (defined below) in ecosystems. Pierre Legendre caused a paradigm shift in ecology by looking at spatial structures in a new way and showing how the ecological processes acting on communities could be analysed.

Third, as an ecologist with training and broad experience in multivariate statistics, Pierre Legendre developed new numerical methods to address significant ecological problems and advance the understanding of ecosystem functioning. Here is an example. A new analytical approach, called Moran's Eigenvector Maps, was developed by Pierre Legendre and ecologist Daniel Borcard in 2002 to dissect ecological patterns among spatial scales (e.g. fine, intermediate, and broad scales) to identify the processes acting at these different scales. The authors wrote a program and distributed it freely, then they replaced it with R functions distributed on CRAN in 2016. The new concept and method were adopted by the community of ecologists: this publication has been cited 2125 times (#2.133).

Other key contributions to ecology concern the ecological processes that generate and maintain the spatial differentiation of ecological communities among sites in ecosystems, called *beta diversity* by ecologists. Legendre showed in 2005 that beta diversity can be correctly estimated by the variance of the community composition data (#2.161 in Publication list, 1515 citations) and in 2013 that this beta index can be decomposed into Local Contributions and Species Contributions to Beta Diversity (#2.254 in Publication list, 1112 citations). He then proposed in 2019 how to statistically compare successive surveys at a set of sites to study temporal beta diversity (#2.304 in Publication list).

Fourth, as his papers and books became known, Pierre Legendre received increasing numbers of invitations to present intensive courses on numerical ecology lasting 1 to 7 days. Altogether, he has now given 87 such invited intensive courses in 56 universities, research institutes and government laboratories located in 19 countries and territories around the world: Australia, Belgium, Brazil, Canada, China, France, Guadeloupe, Italy, Mexico, New Caledonia, Norway, Panama, Scotland, Spain, Sweden, Switzerland, Taiwan, the USA and Wales. In one such course, 60 researchers in 23 countries around the North and South Atlantic attended Legendre's online course on 15–18 June 2021.

He also prepared and recorded a course entitled *Numerical ecology in 8 lessons*, featuring 16h45 of recorded lectures plus practical exercises, put online in May 2021 by Université de Montréal. The course is available to students and researchers around the world for a very moderate fee.

Pierre Legendre's generous approach to the dissemination of numerical ecology is original, and much appreciated by students and colleagues. For that reason, he received the *Excellence in Teaching Award* of Université de Montréal, and a similar award from the Faculty of Arts and Science.

Fifth, several of the ecological problems investigated by Pierre Legendre are of foremost social importance. They are relevant to the global, interrelated problems of biodiversity loss and effects of climate change, touching losses in marine resources and forest biodiversity. An example is his work about natural forest communities in Canada, migrating to new locations in the temperate-boreal ecotone in response to climate change (#3.308 and #3.313 in Publication list).

Professor Pierre Legendre is an imaginative and creative researcher, who consistently produced novel concepts and numerical methods that deeply influenced the progress of ecology. He is an enthusiastic promoter of fundamental ecology and numerical analysis in the classroom, in scholarly venues, and now on the web. The nominee is a scientist and a teacher. He dedicated his career to working with students and colleagues, creating new concepts and methods, and applying them to ecological questions that have great social relevance.

He is working under the assumption that sharing scientific knowledge with scientists and graduate students from different countries will increase mutual understanding between peoples and the likelihood of peace on Earth. After developing a new subfield of ecological science, he travelled the world sharing his knowledge with scientists and graduate students, responding to invitations extended to him by numerous universities and research institutes where his work was known through the scientific literature. This is a measure of his notoriety as a numerical ecologist and a teacher.

Pierre Legendre

Curriculum vitae

Département de sciences biologiques,
Université de Montréal,
C.P. 6128, succursale Centre-ville,
Montréal, Québec, Canada H3C 3J7

Phone 514-343-7591
E-mail: Pierre.Legendre@umontreal.ca
Web page (research): <http://numerationecology.com>
[https://en.wikipedia.org/wiki/Pierre_Legendre_\(ecologist\)](https://en.wikipedia.org/wiki/Pierre_Legendre_(ecologist))

Biographical information

1971 Ph.D. in Evolutionary Biology, Dept. of Biology, Univ. of Colorado (Boulder), USA.
1969 M.Sc. in Zoology, Department of Zoology, McGill University, QC, Canada.
1965–67 Two years of B.Sc. in biological sciences, Université de Montréal, QC, Canada.
1965 B.A., Collège Saint-Viateur, Montréal (college affiliated to Université de Montréal).
1946 Born in Montréal, QC, Canada.

Academic employment history

1984–present Full professor, Département de sciences biologiques, Université de Montréal.
1980–84 Associate professor, Département de sciences biologiques, Université de Montréal.
1980 Professor, Département de physique, Université du Québec à Montréal.
1973–80 Research director, Centre de recherche en sciences de l'environnement, Université du Québec à Montréal; NSERC Research Associate, 1977–1980.
1972–73 Research associate, Centre de recherche écologique, Université du Québec à Montréal.
1971–72 Postdoctoral fellow (CNRC), Genetiska Institutionen, Lunds Universitet, Sweden.

Scientific interests

Pierre Legendre is an ecologist and a founder of the field of *Numerical ecology*, a branch of community ecology that he founded and to which he has contributed extensively over the past 50 years. His research concerns in particular the ecological and biogeographic processes that generate and organize biodiversity through space and time. An important component of his research in fundamental ecology is the development of quantitative methods to analyse multivariate ecological data. He works at the moment on adapting and transferring the methods developed in spatial community ecology to landscape genetics, in particular for the study of genetic beta diversity.

Scientific Prizes and Distinctions

Scientific prizes

- 2019 – Laureate of the *2019 Alexander von Humboldt Medal for Excellence in Vegetation Science* of the International Association for Vegetation Science (IAVS), "for his valuable contributions in the field of numerical ecology". Medal presented on 16 July 2019 during the 62th Annual IAVS Symposium in Bremen, Germany.
- 2015 – Laureate of the *Adrien-Pouliot Prize* (for scientific cooperation with France), *Association francophone pour le savoir*¹ and the French Consulate in Québec City and Ministère des Relations internationales et de la Francophonie du Québec. Award presented in Montréal, 22 October 2015.
- 2015 – *Legend in Canadian Fisheries Science and Management* "in recognition and appreciation of contributions to fisheries science". Presented to Pierre Legendre by the *Canadian Aquatic Resources Section* of the *American Fisheries Society* (AFS), 15 May 2015. Award announced during the 145th annual conference of the AFS in Portland, Oregon, 16–20 August 2015.
- 2013 – Laureate of the Canadian Society for Ecology and Evolution (CSEE) *President's Award*. Kelowna, British Columbia, 14 May 2013, during the CSEE annual meeting.
- 2012 – Laureate of the Canadian Council of University Biology Chairs *Career Achievement Award*. University of Waterloo, 16 November 2012.
- 2005 – Laureate of *Prix Marie-Victorin*, the annual prize of the Government of Québec "for highest achievements in research in natural sciences and engineering". Québec, 8 November 2005.
- 1999 – Laureate of the *Twentieth Century Distinguished Service Award* "for outstanding contribution to the synergistic development and direction of statistics, ecology, environment and society", awarded by the Ninth Lukacs Symposium "*Frontiers of Environmental and Ecological Statistics for the 21st Century*". Bowling Green State University, Bowling Green, Ohio, 24 April 1999.
- 1995 – Laureate (2nd recipient) of the Romanowski Medal (environmental science) of the *Royal Society of Canada*. Saint Paul University, Ottawa, 16 June 1995.
- 1994 – Laureate of the *Distinguished Statistical Ecologist Award* of the *International Congress of Ecology* (INTECOL). Manchester, England, 22 August 1994.
- 1986 – Laureate of the *Michel-Jurdant* prize for Environment Sciences, *Association canadienne-française pour l'avancement des sciences* (Acfas)¹. Montréal, 12 May 1986.

Teaching prizes

- 2011 – Laureate of Université de Montréal *Excellence in Teaching Award, Full Professor category*. Award presented on 27 May 2011.
- 2011 – Laureate of the *Excellence in Teaching Award, Science Sector* of the Faculty of Arts and Science, Université de Montréal. Award presented on 14 June 2011.

¹ Acfas was formerly called *Association canadienne-française pour l'avancement des sciences*; despite its new name, the Society kept the acronym Acfas.

Other distinctions

- 2021 – *Membre of the Order of Canada*, 24 Septembre 2021. Web page of the announcement: <https://www.gg.ca/en/activities/2021/governor-general-announces-135-new-appointments-order-canada>
- *Web of Science Highly Cited Researcher* in all lists published during 21 years, firstly in 2001 then every year from 2014 to 2021; at first by the Institute for Scientific Information (USA), then by Thomson Reuters (USA) and, since 2017, by Clarivate (USA and UK).
- 2019 – *Honorary life membership* in the Sociedad Ibérica de Ecología, a new scientific society which includes ecologists from the whole Iberian Peninsula. In Barcelona, 7 February 2019.
- 2016 – Elected *Corresponding Member* of Academia Mexicana de Ciencias (AMC), 5 February 2016. Officially inducted in México City on 6 March 2018.
- 2007 – Officer of the *National Order of Québec*. Presentation of insignia: Québec, 18 June 2008.
- 1992 – Elected *Fellow of the Royal Society of Canada (Academy of Science)*. Presentation of insignia: Ottawa, 21 May 1992.
- 1989-1991 – *Killam Research Fellow*, Canada Council for the Arts.

Scientific production in career

TYPES OF PRODUCTION	TOTAL NUMBER
Number of books and chapters	13 books / 22 book chapters
Number of refereed articles	Journal articles: 325 Conference proceedings and data papers: 24
Number of citations	Web of Science: 50 177 / Google Scholar: 148 000
Hirsch (<i>h</i>) index	Web of Science: 84 / Google Scholar: 128
Package versions in R language	115 versions of 9 different R packages, available on https://cran.r-project.org
Papers at conferences	308 (including 58 keynote addresses)
Research seminars	361
Short courses	87 (in 56 universities and research institutes located in 19 countries)
International working groups	19

Pierre Legendre

Ten most important papers

Note – One book, then nine papers in chronological order. Numbers of citations are from Google Scholar, 22 January 2024 ([https://scholar.google.ca/citations?User= daJE-XsAAAAJ](https://scholar.google.ca/citations?User=daJE-XsAAAAJ)).

1. Legendre, P. & L. Legendre. 2012. *Numerical ecology, 3rd English edition*. Elsevier Science BV, Amsterdam. xvi + 990 pp. ISBN-13: 978-0444538680. Two editions in French (Masson, Paris) and three in English (Elsevier, Amsterdam).
=> [\[27 314 citations for all editions.\]](#) The most widely used book on numerical ecology, based on 45 years of teaching experience and discussions with colleagues at scientific conferences, by the authors who defined the field of *Numerical ecology*. This book is used by community ecologists in all universities and research institutes throughout the world.
2. Borcard, D., P. Legendre & P. Drapeau. 1992. Partialling out the spatial component of ecological variation. *Ecology* 73: 1045-1055. <https://doi.org/10.2307/1940179>
=> [\[4984 citations.\]](#) First paper to describe *multivariate variation partitioning*, which estimates the proportions of variation of community composition data explained by two or more tables of explanatory variables, e.g. environmental, climatic, geomorphological, geological and spatial data matrices. The method is implemented in function `varpart.R` of the *vegan* package.
3. Legendre, P. 1993. Spatial autocorrelation: trouble or new paradigm? *Ecology* 74: 1659-1673. <https://doi.org/10.2307/1939924>
=> [\[4595 citations.\]](#) In this paper, Legendre developed a new paradigm for community ecology, that spatial relationships are key to understanding the ecological processes that organize biodiversity through space. The paper sent a message to young researchers, that the development of new ideas in research is not linear but may include unexpected furcations. This key paper was the subject of a publication by history of ecology researcher Hari Shridar who interviewed authors of vintage papers in ecology and evolution. See: <https://reflectionsonpaperspast.wordpress.com/2020/05/15/revisiting-legendre-1993/>.
4. Dufrêne, M. & P. Legendre. 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* 67: 345-366. <https://doi.org/10.2307/2963459>
=> [\[10 270 citations.\]](#) The identification of indicator species (indicating particular environmental conditions, which is useful in environmental monitoring, conservation and management) has been a traditional question in ecology and biogeography. This problem was revisited and formalized in this paper proposing a statistically sound method of identifying indicator species and testing their significance. This method was later expanded to include other forms of indicator species indices, in a paper by De Cáceres & Legendre published in 2009.
5. Legendre, P. & M. J. Anderson. 1999. Distance-based redundancy analysis: testing multispecies responses in multifactorial ecological experiments. *Ecological Monographs* 69: 1-24. <https://doi.org/10.2307/2657192>
=> [\[2648 citations.\]](#) This paper explained for the first time how to compute canonical redundancy analysis from a dissimilarity matrix (**D**) computed using double-zero asymmetric coefficients, which are appropriate for community composition and other frequency data. Canonical analysis relates multivariate response data, such as community composition, to explanatory data, which may represent analysis-of-variance factors, as shown in this paper.

6. Legendre, P. & E. D. Gallagher. 2001. Ecologically meaningful transformations for ordination of species data. *Oecologia* 129: 271-280. <https://www.jstor.org/stable/4223083>
 => [5339 citations.] Community composition data can be transformed using a family of mathematical transformations that make the data usable in linear methods of multivariate analysis such as principal component ordination or multivariate analysis of variance. This paper describes the first transformations that are part of a new family, later expanded by Legendre & Borcard (2018).
7. Borcard, D. & P. Legendre. 2002. All-scale spatial analysis of ecological data by means of principal coordinates of neighbour matrices. *Ecological Modelling* 153: 51-68. [https://doi.org/10.1016/S0304-3800\(01\)00501-4](https://doi.org/10.1016/S0304-3800(01)00501-4)
 => [2125 citations.] Spatial eigenfunction modelling was first proposed in this paper. A geographic distance matrix is decomposed mathematically, producing a series of vectors (eigenfunctions) that model as many different spatial scales. This amounts to a Fourier analysis of the spatial relationships among the sites. It can operate on sites forming a regular grid, as found in fully inventoried forest plots, or on irregularly-positioned sites, like lakes and ponds scattered throughout a landscape. The new method allowed ecologists to test hypotheses about the processes organizing biodiversity through geographic space, partitioning the variation between environmental variables and spatial processes operating at a variety of spatial scales.
8. Legendre, P., D. Borcard & P. R. Peres-Neto. 2005. Analyzing diversity: partitioning the spatial variation of community composition data. *Ecological Monographs* 75: 435-450. <https://doi.org/10.1890/05-0549>
 => [1515 citations.] The simulation study reported in this paper showed that the proper statistical procedure for partitioning the spatial variation of community composition data among environmental and spatial components, described in paper #2 in 1992 and used for testing hypotheses about the origin and maintenance of variation in community composition among sites, is canonical partitioning, *not* partitioning based upon dissimilarity matrices and Mantel tests.
9. Legendre, P. & M. De Cáceres. 2013. Beta diversity as the variance of community data: dissimilarity coefficients and partitioning. *Ecology Letters* 16: 951-963. <https://dx.doi.org/10.1111/ele.12141>
 => [1112 citations.] Among the ways of measuring beta diversity (i.e., the spatial variation of community composition data), the total variance of the community matrix provides an accurate and most useful estimate. It can be computed on transformed community data (paper #9) and on dissimilarity matrices appropriate for community data. The total variance can then be partitioned among sites and among species to identify the sites and species that contribute the most to beta diversity. This method links the ecological concept of beta diversity to well-known methods of multivariate analysis of community composition data used by ecologists, like principal component and canonical analysis, which also partition the total variance.
10. Legendre, P. 2019. A temporal beta-diversity index to identify sites that have changed in exceptional ways in space-time surveys. *Ecology and Evolution* 9: 3500–3514. <https://doi.org/10.1002/ece3.4984>
 => [159 citations.] A new method for the comparison of ecological surveys at several sites, repeated through time, was described by Legendre in this paper. Studies of this type are presently conducted around the world by large teams of ecologists, governmental and academic, to assess the effects of climate change and other anthropic pressures on the environment. This method is likely to become highly praised by ecologists who are collecting this type of data. Software in R implementing the new method was written by Legendre and made available in the R package *adespatial*.

Pierre Legendre

Scientific publications

1. Books

- 1.1 Legendre, L. & P. Legendre. 1979. Écologie numérique. Tome 1: Le traitement multiple des données écologiques. Préface du Pr. Ramón Margalef. Collection d'Écologie no 12. Masson, Paris et les Presses de l'Université du Québec. xiv + 197 p. — [*Numerical ecology, Volume 1: The multiple processing of ecological data. Preface by Prof. Ramón Margalef. Ecology Collection No. 12. Masson, Paris and Presses de l'Université du Québec. xiv + 197 pp.*] — Equal contributions of the authors, listed in alphabetic order.
- 1.2 Legendre, L. & P. Legendre. 1979. Écologie numérique. Tome 2: La structure des données écologiques. Collection d'Écologie no 13. Masson, Paris et Presses de l'Université du Québec. viii + 254 p. — [*Numerical ecology, Volume 2: The structure of ecological data. Ecology Collection No. 13. Masson, Paris and Presses de l'Université du Québec. viii + 254 pp.*] — Equal contributions of the authors, listed in alphabetic order.
- 1.3 Legendre, L. & P. Legendre. 1983. Numerical ecology. Developments in environmental modelling, 3. Elsevier Scientific Publ. Co., Amsterdam Netherlands. xvi + 419 pp. — Equal contributions of the authors, listed in alphabetic order.
- 1.4 Legendre, L. & P. Legendre. 1984. Écologie numérique, deuxième édition revue et augmentée. Tome 1: Le traitement multiple des données écologiques. Préface du Pr. Ramón Margalef. Masson, Paris et les Presses de l'Université du Québec. xv + 260 p. — [*Numerical ecology, Second revised and expanded edition. Volume 1: The multiple processing of ecological data. Preface by Prof. Ramón Margalef. Ecology Collection No. 12. Masson, Paris and Presses de l'Université du Québec. xv + 260 pp.*] — Equal contributions of the authors, listed in alphabetic order.
- 1.5 Legendre, L. & P. Legendre. 1984. Écologie numérique, deuxième édition revue et augmentée. Tome 2: La structure des données écologiques. Masson, Paris et les Presses de l'Université du Québec. viii + 335 p. — [*Numerical ecology, Second revised and expanded edition. Volume 2: The structure of ecological data. Ecology Collection No. 13. Masson, Paris and Presses de l'Université du Québec. viii + 335 pp.*] — Equal contributions of the authors, listed in alphabetic order.
- 1.6 Legendre, P. & L. Legendre [eds.] 1987. Developments in numerical ecology. NATO ASI series, Vol. G-14. Springer-Verlag, Berlin. xi + 585 pages.
- 1.7 Legendre, P. & L. Legendre. 1998. Numerical ecology, 2nd English edition. Prefaces by Prof. F. James Rohlf and by Prof. Ramón Margalef. Elsevier Science BV, Amsterdam. xv + 853 pages. <<http://www.fas.umontreal.ca/biol/legendre/numecol.html>>
- 1.8 Borcard, D., F. Gillet & P. Legendre. 2011. Numerical ecology with R. Use R! series, Springer Science, New York. xi + 306 pp. ISBN: 978-1-4419-7975-9. e-ISBN: 978-1-4419-7976-6.
- 1.9 Legendre, P. & L. Legendre. 2012. Numerical ecology, 3rd English edition. Developments in Environmental Modelling, Vol. 24. Elsevier Science BV, Amsterdam. xiv + 990 pp. ISBN-13: 978-0444538680. <<http://www.elsevierdirect.com/ISBN/9780444538680/Numerical-Ecology>>

- 1.10 Borcard, D., F. Gillet & P. Legendre. 2014. Numerical ecology with R, Chinese edition (translation: J. Lai, Institute of Botany, Chinese Academy of Sciences). Higher Education Press, Beijing. V + 275 pp. (Published May 14, 2014).
- 1.11 Borcard, D., F. Gillet & P. Legendre. 2018. Numerical ecology with R, Second edition. Use R! series, Springer International Publishing AG. xv + 435 pp. ISBN 978-3-319-71403-5, eBook ISBN 978-3-319-71404-2. (Published 20 March 2018.) Price: \$74.99 Cad; eBook: \$59.99 (<http://www.springer.com/us/book/9783319714035>).
- 1.12 Borcard, D., F. Gillet & P. Legendre. 2020. Numerical ecology with R, 2nd Chinese edition (translation: J. Lai, Institute of Botany, Chinese Academy of Sciences). Higher Education Press, Beijing. xviii + 432 pp. + 10 colour figures. (Published 9 May 2020).



- 1.13 Borcard, D., F. Gillet & P. Legendre. 2023. Numerical ecology with R (Rによる数値生態学), Japanese edition. Kyoritsu Shuppan Co. Ltd, Tokyo. xvi + 494 pages. Publication date: 28 February 2023.

2. Refereed book chapters

Reprints of these papers, if available in pdf: <http://numerationecology.com/Reprints/>

- 2.1 Legendre, L. & P. Legendre. 1978. Associations. Pp. 261-272 in: *Phytoplankton Manual*. Monographs on oceanographic methodology no 6. UNESCO, Paris. 338 pp.
- 2.2 Legendre, P. & L. Legendre. 1982. Échantillonnage et traitement des données. Ch. 3 (pp. 163-216) in: S. Frontier [éd.] *Stratégies d'échantillonnage en écologie*. Collection d'Écologie no 16. Masson, Paris. xviii + 494 p. — [*Sampling and data processing. Ch. 3 (pp. 163-216) in: S. Frontier [ed.] Sampling strategies in ecology. Ecology Collection No. 16. Masson, Paris. xviii + 494 pp.*]
- 2.3 Legendre, P. 1983. Numerical ecology: developments and recent trends. 505-523 in: J. Felsenstein [ed.] *Numerical taxonomy*. Nato Advanced Study Institute Series G (Ecological Sciences), No. 1. x + 644 p. [Invited paper.]
- 2.4 Legendre, P. 1987. Constrained clustering. Pp. 289-307 in: P. Legendre & L. Legendre [eds.] *Developments in numerical ecology*. NATO ASI series, Vol. G-14. Springer-Verlag, Berlin. xi + 585 pages. [Invited paper.]
- 2.5 Legendre, P. 1990. Quantitative methods and biogeographic analysis. Pp. 9-34 in: Garbary, D. J. & G. R. South (eds.) *Evolutionary biogeography of the marine algae of the North Atlantic*. NATO ASI Series, Vol. G 22. Springer-Verlag, Berlin.
- 2.6 Lapointe, F.-J. & P. Legendre. 1996. Evolution of the marsupial brain: Does it reflect the evolution of behavior? Chapter 11, pp. 187-212 in: *Animals and their environment – A tribute to Paul Pirlot* (T. Cabana, editor). Éditions Orbis Publishing, Frelighsburg, Canada.
- 2.7 Renaud, J. & P. Legendre. 1997. Nouveaux immigrants et localisation résidentielle. P. 103–127 in: D. Meintel, V. Piché, D. Juteau et S. Fortin [éds.] *Le quartier Côte-des-Neiges à Montréal – Les interfaces de la pluriethnicité*. L'Harmattan, Paris. 323 p. — [*New immigrants and residential location. Pp. 103–127 in: D. Meintel, V. Piché, D. Juteau and S. Fortin [eds.] The Côte-des-Neiges quarter in Montréal – The interfaces of multi-ethnicity. L'Harmattan, Paris. 323 pp.*]
- 2.8 Legendre, P. et D. Borcard. 2006. Quelles sont les échelles spatiales importantes dans un écosystème? Chapitre 19 (p. 425-442) in: J.-J. Droesbeke, M. Lejeune et G. Saporta (éds), *Analyse statistique de données spatiales*. Éditions TECHNIP, Paris. 468 pages. ISBN 10 : 2710808730. — [*What are the important spatial scales in an ecosystem? Chapter 19 (pp. 425-442) in: J.-J. Droesbeke, M. Lejeune and G. Saporta (eds), Statistical analysis of spatial data. Éditions TECHNIP, Paris. 468 pp.*]
- 2.9 Makarenkov, V., D. Kevorkov & P. Legendre. 2006. Phylogenetic network construction approaches. Pp. 61-97 in: *Applied Mycology and Biotechnology, Volume 6: Bioinformatics*. Elsevier Science B. V., Amsterdam.
- 2.10 Legendre, P. 2007. Préface. Pp. III-IV in Scherrer, B. *Biostatistique*. Chenelière Éducation, Montréal. — [*Preface. Pp. III-IV in Scherrer, B. Biostatistics. Chenelière Éducation, Montréal*]
- 2.11 Legendre, P. 2010. Coefficient of concordance. Pp. 164-169 in: *Encyclopedia of Research Design, Vol. 1*. N. J. Salkind, ed. SAGE Publications, Inc., Los Angeles. 1776 pp. ISBN: 9781412961271. [Published in July 2010.]

- 2.12 Legendre, P. & H. J. B. Birks. 2012. Clustering and partitioning. Chapter 7, pp. 167-200 in: *Tracking Environmental Change using Lake Sediments, Volume 5: Data handling and numerical techniques*. H. J. B. Birks, A. F. Lotter, S. Juggins & J. P. Smol [eds.]. Springer, Dordrecht, The Netherlands. xi + 716 pp. [Published April 8, 2012.]
- 2.13 Legendre, P. & H. J. B. Birks. 2012. From classical to canonical ordination. Chapter 8, pp. 201-248 in: *Tracking Environmental Change using Lake Sediments, Volume 5: Data handling and numerical techniques*. H. J. B. Birks, A. F. Lotter, S. Juggins & J. P. Smol [eds.]. Springer, Dordrecht, The Netherlands. xi + 716 pp. [Published April 8, 2012.]
- 2.14 Fortin, M.-J., P. Drapeau & P. Legendre. 2012. Spatial autocorrelation and sampling design in plant ecology. Pp. 209-222 in: G. Grabherr, L. Mucina, M.B. Dale & C.J.F. ter Braak [eds.] *Progress in Theoretical Vegetation Science*. Advances in Vegetation Science, Vol. 11. Springer.
- 2.15 Legendre, P. 2013. Indicator species: computation. Pp. 264-268 in: *Encyclopedia of Biodiversity, 2nd edition*. Simon Levin [ed.] Academic Press, Waltham, MA, USA. [Published February 21, 2013.]
- 2.16 Boc, A., P. Legendre & V. Makarenkov. 2013. An efficient algorithm for the detection and classification of horizontal gene transfer events and identification of mosaic genes. Pp. 253-260 in: B. Lausen, D. Van den Poel & A. Ultsch [eds] *Algorithms from and for Nature and Life: Classification and data analysis*. Springer International Publishing, Switzerland. [Published September 10, 2013] doi:10.1007/978-3-319-00035-0_25.
- 2.17 Makarenkov, V., A. Boc & P. Legendre. 2014. A new algorithm for inferring hybridization events based on the detection of horizontal gene transfers. Pp. 273–293 in: F. Aleskerov, B. Goldengorin & P. M. Pardalos [eds.] *Clusters, Orders, and Trees: Methods and Applications — In Honor of Boris Mirkin's 70th Birthday*. Springer Optimization and Its Applications, 92. Springer, New York.
- 2.18 Legendre, P. 2019. Numerical ecology. Pp. 487-493 in: *Encyclopedia of Ecology, 2nd edition* (B. D. Fath, Editor-in-Chief). Volume: *Earth systems and environmental sciences*. Elsevier Inc., Oxford, England. <https://doi.org/10.1016/B978-0-12-409548-9.10595-0>. View the pdf: http://www.numericalecology.com/Reprints/Legendre_Numerical_Ecology_EoE2_2019.pdf
- 2.19 Legendre, P. 2019. Foreword. Pp. xi–xvi in: Griffith, D. A., Y. Chun & B. Li, foreword by P. Legendre. *Spatial regression analysis using eigenvector spatial filtering*. Elsevier Science BV / Academic Press, Amsterdam. ISBN 978-0-12-815043-6. In press (proofs corrected on 10 April 2019).
- 2.20 Legendre, P. 2020. The development of Numerical Ecology in China, an example of international scientific cooperation. Foreword to *Numerical ecology with R, 2nd Chinese edition* by D. Borcard, F. Gillet & P. Legendre (translation: J. Lai, Institute of Botany, Chinese Academy of Sciences). Higher Education Press, Beijing. (Published 9 May 2020).
[Foreword Chinese title: 前言 – 中国数字生态学的发展, 国际科学合作的一个例子.]
- 2.21 Legendre, P. 2022. Coefficient of concordance. Revised version for: *Encyclopedia of Research Design, 2nd edition*. Bruce B. Frey, ed. SAGE Publications, Inc., Los Angeles. 7 pages. <https://dx.doi.org/10.4135/9781071812082.n89>.

- 2.22 Legendre, P. 2023. Indicator species: computation. Pp. 533–538 in: *Encyclopedia of Biodiversity, 3rd edition*, Volume 5. Paulo R. Guimarães Jr. / Samuel M. Scheiner [eds.] Elsevier Ltd, Oxford, England.

3. Papers published in refereed journals

Reprints of these papers in pdf: <http://numerical ecology.com/Reprints/>

- 3.1 Legendre, P. & P. Vaillancourt. 1969. A mathematical model for the entities species and genus. *Taxon* 18 (3): 245-252.
- 3.2 Legendre, P. & D. M. Steven. 1969. Dénombrement des chromosomes chez quelques cyprins [*Chromosome counts in some cyprinids*]. *Naturaliste can. (Québec)* 96 (6): 913-918.
- 3.3 Legendre, P. 1970. The bearing of *Phoxinus* (Cyprinidae) hybridity of the classification of its North American species. *Can. J. Zool.* 48 (6): 1167-1177.
- 3.4 Legendre, P. 1970. Comptage de vertèbres chez quelques cyprinidae du Québec et de l'Ontario [*Counting of vertebrae in some cyprinids from Quebec and Ontario*]. *Naturaliste can. (Québec)* 97 (3): 325-329.
- 3.5 Legendre, P. 1971. Circumscribing the concept of the genus. *Taxon* 20 (1): 137-139.
- 3.6 Legendre, P., C. B. Schreck & R. J. Behnke. 1972. Taximetric analysis of selected groups of western North American Salmo with respect to phylogenetic divergences. *Syst. Zool.* 21 (3): 292-307.
- 3.7 Legendre, P. 1972. The definition of systematic categories in biology. *Taxon* 21 (4): 381-406.
- 3.8 Legendre, P. & D. J. Rogers. 1972. Characters and clustering in taxonomy: a synthesis of two taximetric procedures. *Taxon* 21 (5/6): 567-606.
- 3.9 Ahmad A., A. Chodorowski & P. Legendre. 1974. Studies on the effect of pollution on the diatom communities of St. Lawrence River near Montreal. 1. Physico-chemical and biological characterization of the two water masses (Ottawa and St. Lawrence rivers). *Water Pollution Research in Canada* 9: 135-141.
- 3.10 Legendre, P. 1975. A posteriori weighting of descriptors. *Taxon* 24 (5/6): 603-608.
- 3.11 Legendre, P. 1975. A field-trip micro-technique for studying fish leukocyte chromosomes. *Can. J. Zool.* 53 (10): 1443-1446.
- 3.12 Legendre, P. 1976. An appropriate space for clustering selected groups of Western North American Salmo. *Syst. Zool.* 25 (2): 193-195.
- 3.13 Legendre, P. & A. Chodorowski. 1977. A generalization of Jaccard's association coefficient for Q analysis of multi-state ecological data matrices. *Ekologia Polska* 25 (2): 297-308.
- 3.14 Legendre, P., F. Long, R. Bergeron & J.-M. Levasseur. 1978. Inventaire aérien de la faune dans le Moyen Nord québécois [*Aerial inventory of wildlife in the Middle North of Quebec*]. *Can. J. Zool.* 56: 451-462.
- 3.15 Legendre, P. & A. Beauvais. 1978. Niches et associations de poissons des lacs de la Radissonie québécoise [*Niches and associations of fish species in lakes of the Quebec Radissonia*]. *Naturaliste can. (Québec)* 105: 137-158. [Translation to English no 1275421 ENV by the Translation Bureau, Secretary of State, for Environment Canada].

- 3.16 Pinel-Alloul, B., P. Legendre & E. Magnin. 1979. Zooplankton limnétique de 46 lacs et 17 rivières du territoire de la Baie de James [*Limnetic zooplankton from 46 lakes and 17 rivers in the James Bay territory*]. *Can. J. Zool.* 57 (8): 1693-1709.
- 3.17 Legendre, P. 1979. Le protistologue et la taxinomie numérique [*The protistologist and numerical taxonomy*]. *L'Année Biologique* 18: 493-519.
- 3.18 Legendre, P., F. Long & A. Beauvais. 1980. Typologie écologique d'un groupe de lacs du Moyen Nord québécois [*Ecological typology of a group of lakes in the Middle North of Quebec*]. *Annales de Limnologie* 16 (2): 135-158.
- 3.19 André, P., P. Legendre & P. P. Harper. 1981. La sélectivité de trois engins d'échantillonnage du benthos lacustre [*The selectivity of three lacustrine benthos sampling gears*]. *Annales de Limnologie* 17: 25-40.
- 3.20 Troussellier, M. & P. Legendre. 1981. A functional evenness index for microbial ecology. *Microb. Ecol.* 7: 283-296.
- 3.21 Legendre, L., M. Fréchette & P. Legendre. 1981. The contingency periodogram: a method of identifying rhythms in series on nonmetric ecological data. *J. Ecol.* 69: 965-979.
- 3.22 Fortin, N. & P. Legendre. 1982. Application de la cartographie écologique à la localisation environnementale d'un réseau routier [*Application of ecological mapping to the environmental location of a road network*]. *Naturaliste can. (Québec)* 109: 661-670.
- 3.23 Lamarche, A., P. Legendre & A. Chodorowski. 1982. Facteurs responsables de la distribution des gastéropodes dulcicoles dans le fleuve Saint-Laurent [*Factors responsible for the distribution of freshwater gastropods in the St. Lawrence River*]. *Hydrobiologia* 89: 61-76.
- 3.24 St-Louis, N. & P. Legendre. 1982. A water quality index for lake beaches. *Water Research* 16: 945-948.
- 3.25 Hudon, C., E. Bourget & P. Legendre. 1983. An integrated study of the factors influencing the choice of the settling site of *Balanus crenatus* cyprid larvae. *Can. J. Fish. Aquat. Sci.* 40: 1186-1194.
- 3.26 Legendre, L. & P. Legendre. 1983. Partitioning ordered variables into discrete states for discriminant analysis of ecological classifications. *Can. J. Zool.* 61: 1002-1010.
- 3.27 Legendre, P. & V. Legendre. 1984. Postglacial dispersal of freshwater fishes in the Québec peninsula. *Can. J. Fish. Aquat. Sci.* 41: 1781-1802.
- 3.28 Legendre, P., D. Planas & M.-J. Auclair. 1984. Succession des communautés de gastéropodes dans deux milieux différant par leur degré d'eutrophisation [*Succession of gastropod communities in two environments differing in their degree of eutrophication*]. *Can. J. Zool.* 62: 2317-2327.
- 3.29 De Puytorac, P., J. Grain, P. Legendre & J. Dévaux. 1984. Essai d'application de l'analyse phénétique à la classification du phylum des Ciliophora [*Attempt to apply phenetic analysis to the classification of the Ciliophora phylum*]. *Journal of Protozoology* 31: 496-507.
- 3.30 Legendre, P. 1984. L'analyse des données en relation avec l'échantillonnage [*Data analysis in relation to sampling*]. *Revue d'Entomologie du Québec* 29: 86-100.

- 3.31 Legendre, P., B. Baleux & M. Troussellier. 1984. Dynamics of pollution-indicator and heterotrophic bacteria in a sewage treatment lagoon. *Appl. Environm. Microbiol.* 48: 586-593.
- 3.32 Legendre, P., S. Dallot & L. Legendre. 1985. Succession of species within a community: chronological clustering, with applications to marine and freshwater zooplankton. *American Naturalist* 125: 257-288.
- 3.33 Hudon, C., P. Fradette & P. Legendre. 1986. La répartition horizontale et verticale des larves de homard (*Homarus americanus*) autour des Iles-de-la-Madeleine, golfe du Saint-Laurent [*The horizontal and vertical distribution of lobster larvae (Homarus americanus) around the Magdalen Islands, Gulf of St. Lawrence*]. *Can. J. Fish. Aquat. Sci.* 43: 2164-2176.
- 3.34 Gower, J. C. & P. Legendre. 1986. Metric and Euclidean properties of dissimilarity coefficients. *Journal of Classification* 3: 5-48.
- 3.35 Legendre, P. 1986. Reconstructing biogeographic history using phylogenetic-tree analysis of community structure. *Syst. Zool.* 35: 68-80.
- 3.36 Troussellier, M., P. Legendre & B. Baleux. 1986. Modeling of the evolution of bacterial densities in an eutrophic ecosystem (sewage lagoons). *Microbial Ecology* 12: 355-379.
- 3.37 Hudon, C. & P. Legendre. 1987. The ecological implications of growth forms in epibenthic diatoms. *Journal of Phycology* 23: 434-441.
- 3.38 Galzin, R. & P. Legendre. 1987. The fish communities of a coral reef transect. *Pacific Science* 41: 158-165.
- 3.39 Bell, M. A. & P. Legendre. 1987. Multicharacter chronological clustering in a sequence of fossil sticklebacks. *Syst. Zool.* 36: 52-61.
- 3.40 Legendre, P. & M. Troussellier. 1988. Aquatic heterotrophic bacteria: modeling in the presence of spatial autocorrelation. *Limnology and Oceanography* 33: 1055-1067.
- 3.41 Ouimet, C. & P. Legendre. 1988. Practical aspects of modelling ecological phenomena using the cusp catastrophe. *Ecological Modelling* 42: 265-288.
- 3.42 Legendre, P. & M.-J. Fortin. 1989. Spatial pattern and ecological analysis. *Vegetatio* 80: 107-138.
- 3.43 Sokal, R. R., N. L. Oden, P. Legendre, M.-J. Fortin, J. Kim & A. Vaudor. 1989. Genetic differences among language families in Europe. *American Journal of Physical Anthropology* 79: 489-502.
- 3.44 Amanieu, M., P. Legendre, M. Troussellier & G.-F. Frisoni. 1989. Le programme Écothau: théorie écologique et base de la modélisation [*The Ecothau program: ecological theory and modelling basis*]. *Oceanologica Acta* 12: 189-199.
- 3.45 Troussellier, M. & P. Legendre. 1989. Dynamics of fecal coliform and culturable heterotroph densities in an eutrophic ecosystem: stability of models and evolution of these bacterial groups. *Microbial Ecology* 17: 227-235.
- 3.46 Legendre, P., M. Troussellier, V. Jarry & M.-J. Fortin. 1989. Design for simultaneous sampling of ecological variables: from concepts to numerical solutions. *Oikos* 55: 30-42.

- 3.47 Fortin, M.-J., P. Drapeau & P. Legendre. 1989. Spatial autocorrelation and sampling design in plant ecology. *Vegetatio* 83: 209-222.
- 3.48 Sokal, R. R., N. L. Oden, P. Legendre, M.-J. Fortin, J. Kim, B. A. Thomson, A. Vaudor, R. M. Harding & G. Barbujani. 1990. Genetics and language in European populations. *American Naturalist* 135: 157-175.
- 3.49 Legendre, P., N. L. Oden, R. R. Sokal, A. Vaudor & J. Kim. 1990. Approximate analysis of variance of spatially autocorrelated regional data. *Journal of Classification* 7: 53-75.
- 3.50 Lapointe, F.-J. & P. Legendre. 1990. A statistical framework to test the consensus of two nested classifications. *Syst. Zool.* 39 (1): 1-13.
- 3.51 Ardisson, P.-L., E. Bourget & P. Legendre. 1990. Multivariate approach to study species assemblages at large spatiotemporal scales: The community structure of the epibenthic fauna of the Estuary and Gulf of St. Lawrence. *Can. J. Fish. Aquat. Sci.* 47: 1364-1377.
- 3.52 Hudon, C., P. Legendre, A. Lavoie, J.-M. Dubois & G. Vigeant. 1991. Effets du climat et de l'hydrographie sur le recrutement du homard américain (*Homarus americanus*) dans le nord du golfe du Saint-Laurent [*Effects of climate and hydrography on recruitment of American lobster (Homarus americanus) in the northern Gulf of St. Lawrence*]. Pp. 161-177 in: Therriault, J.-C. [éd.] Le golfe du Saint-Laurent: petit océan ou grand estuaire? *Can. Spec. Publ. Fish. Aquat. Sci.* 113.
- 3.53 Jarry, V., G.-F. Frisoni & P. Legendre. 1991. Organisation spatiale et modélisation écologique d'un peuplement phytoplanctonique de lagune (étang de Thau, France) [*Spatial organization and ecological modelling of a lagoon phytoplankton community (Thau marine lagoon, France)*]. *Oceanologica Acta* 14: 473-488.
- 3.54 Dufrêne, M. & P. Legendre. 1991. Geographic structure and potential ecological factors in Belgium. *J. Biogeogr.* 18: 257-266.
- 3.55 Lapointe, F.-J. & P. Legendre. 1991. The generation of random ultrametric matrices representing dendrograms. *Journal of Classification* 8: 177-200.
- 3.56 Legendre, P. & P. Dutilleul. 1991. Comments on Boyle's *Acidity and organic carbon in lake water: variability and estimation of means*. *Journal of Paleolimnology* 6: 103-110.
- 3.57 Simard, Y., P. Legendre, G. Lavoie & D. Marcotte. 1992. Mapping, estimating biomass, and optimizing sampling programs for spatially autocorrelated data: Case study of the Northern Shrimp (*Pandalus borealis*). *Can. J. Fish. Aquat. Sci.* 49: 32-45.
- 3.58 Demers, S., J. Kim, P. Legendre & L. Legendre. 1992. Analyzing multivariate flow cytometric data in aquatic sciences. *Cytometry* 13: 291-298.
- 3.59 Leduc, A., P. Drapeau, Y. Bergeron & P. Legendre. 1992. Study of spatial components of forest cover using partial Mantel tests and path analysis. *Journal of Vegetation Science* 3: 69-78.
- 3.60 Borcard, D., P. Legendre & P. Drapeau. 1992. Partialling out the spatial component of ecological variation. *Ecology* 73: 1045-1055. <https://doi.org/10.2307/1940179>
- 3.61 Lapointe, F.-J. & P. Legendre. 1992. A statistical framework to test the consensus among additive trees (cladograms). *Syst. Biol.* 41: 158-171.

- 3.62 Dutilleul, P. & P. Legendre. 1992. Lack of robustness in two tests of normality against autocorrelation in sample data. *J. Statist. Comput. Simul.* 42: 79-91.
- 3.63 Élie, D. & P. Legendre. 1992. Autocorrélation spatiale et déplacement de la criminalité [*Spatial autocorrelation and displacement of criminality*]. *Criminologie* 25: 139-154.
- 3.64 Bourgault, G., D. Marcotte & P. Legendre. 1992. The multivariate (co)variogram as a spatial weighting function in classification methods. *Mathematical Geology* 24: 463-478.
- 3.65 Bach, P., P. Legendre, M. Amanieu & G. Lasserre. 1992. Strategy of eel (*Anguilla anguilla* L.) exploitation in the Thau lagoon. *Estuarine, Coastal and Shelf Science* 35: 55-73.
- 3.66 Lapointe, F.-J. & P. Legendre. 1992. Statistical significance of the matrix correlation coefficient for comparing independent phylogenetic trees. *Syst. Biol.* 41: 378-384.
- 3.67 Planes, S., A. Lefèvre, P. Legendre & R. Galzin. 1993. Spatio-temporal variability in fish recruitment to a coral reef (Moorea, French Polynesia). *Coral Reefs* 12: 105-113.
- 3.68 Dutilleul, P. & P. Legendre. 1993. Spatial heterogeneity against heteroscedasticity: an ecological paradigm versus a statistical concept. *Oikos* 66: 152-171.
- 3.69 Legendre, P. 1993. Spatial autocorrelation: trouble or new paradigm? *Ecology* 74: 1659-1673. [Invited paper, published as part of a *Special Feature*]. <https://doi.org/10.2307/1939924>
- 3.70 Fromentin, J.-M., F. Ibanez & P. Legendre. 1993. A phytosociological method for interpreting plankton data. *Mar. Ecol. Progr. Ser.* 93: 285-306.
- 3.71 Cattaneo, A., P. Legendre & T. Niyonsenga. 1993. Exploring periphyton unpredictability. *Journal of the North American Benthological Society* 12: 418-430.
- 3.72 Legendre, P. 1993. Real data are messy. *Statistics and Computing* 3: 197-199.
- 3.73 Lapointe, F.-J. & P. Legendre. 1994. A classification of pure malt Scotch whiskies. *Applied Statistics* 43: 237-257.
- 3.74 Borcard, D. & P. Legendre. 1994. Environmental control and spatial structure in ecological communities: an example using Oribatid mites (Acari, Oribatei). *Environmental and Ecological Statistics* 1: 37-53.
- 3.75 Legendre, P. & D. Borcard. 1994. Rejoinder. *Environmental and Ecological Statistics* 1: 57-61.
- 3.76 De Puytorac, P., J. Grain & P. Legendre. 1994. An attempt at reconstructing the phylogenetic tree of Ciliophora using parsimony methods. *European Journal of Protistology* 30: 1-17.
- 3.77 Roy, R., P. Legendre, R. Knowles & M.N. Charlton. 1994. Denitrification and methane production in sediment of Hamilton Harbour (Canada). *Microbial Ecology* 27: 123-141.
- 3.78 Legendre, P., F.-J. Lapointe & P. Casgrain. 1994. Modeling brain evolution from behavior: a permutational regression approach. *Evolution* 48 (5): 1487-1499.
- 3.78 Magnan, P., M. A. Rodríguez, P. Legendre & S. Lacasse. 1994. Dietary variation in a freshwater fish species: relative contribution of biotic interactions, abiotic factors, and spatial structure. *Can. J. Fish. Aquat. Sci.* 51: 2856-2865.

- 3.80 He, F., P. Legendre, C. Bellehumeur & J. V. LaFrankie. 1994. Diversity pattern and spatial scale: a study of a tropical rain forest of Malaysia. *Environmental and Ecological Statistics* 1: 265-286.
- 3.81 Legendre, P. & F.-J. Lapointe. 1995. Matching behavioral evolution to brain morphology. *Brain, Behavior and Evolution* 45: 110-121.
- 3.82 Lapointe, F.-J. & P. Legendre. 1995. Comparison tests for dendrograms: a comparative evaluation. *Journal of Classification* 12: 265-282.
- 3.83 Pinel-Alloul, B., T. Niyonsenga & P. Legendre. 1995. Spatial and environmental components of freshwater zooplankton structure. *Écoscience* 2: 1-19.
- 3.84 Cadoret, L., P. Legendre, M. Adjeroud & R. Galzin. 1995. Répartition spatiale des Chaetodontidae dans différents secteurs récifaux de l'île de Moorea, Polynésie française [*Spatial distribution of Chaetodontidae in different reef sectors of the island of Moorea, French Polynesia*]. *Écoscience* 2: 129-140.
- 3.85 Belgrano, A., P. Legendre, J.-M. Dewarumez & S. Frontier. 1995. Spatial structure and ecological variation of meroplankton on the French-Belgian coast of the North Sea. *Mar. Ecol. Progr. Ser.* 128: 43-50.
- 3.86 Belgrano, A., P. Legendre, J.-M. Dewarumez & S. Frontier. 1995. Spatial structure and ecological variation of meroplankton on the Belgian-Dutch coast of the North Sea. *Mar. Ecol. Progr. Ser.* 128: 51-59.
- 3.87 He, F., P. Legendre & J. V. LaFrankie. 1996. Spatial pattern of diversity in a tropical rain forest of Malaysia. *Journal of Biogeography* 23: 57-74.
- 3.88 Mesplé, F., M. Troussellier, C. Casellas & P. Legendre. 1996. Evaluation of simple statistical criteria to qualify a simulation. *Ecological Modelling* 88: 9-18.
- 3.89 Le Boulengé, É., P. Legendre, C. de le Court, P. Le Boulengé-Nguyen & M. Languy. 1996. Microgeographic morphological differentiation in muskrats. *J. Mammalogy* 77 (3): 684-701.
- 3.90 He, F. & P. Legendre. 1996. On species-area relations. *The American Naturalist* 148: 719-737.
- 3.91 Thomson, J. D., G. Weiblen, B. A. Thomson, S. Alfaro & P. Legendre. 1996. Untangling multiple factors in spatial distributions: lilies, gophers, and rocks. *Ecology* 77: 1698-1715. ["Concepts" paper.]
- 3.92 Casgrain, P., P. Legendre, J.-L. Sixou & C. Mouton. 1996. A graph-theory method to establish serological relationships within a bacterial taxon, with example from *Porphyromonas gingivalis*. *Journal of Microbiological Methods* 26: 225-236.
- 3.93 Morand, S., P. Legendre, S. L. Gardner & J.-P. Hugot. 1996. Body size evolution of oxyurid (Nematoda) parasites: the role of hosts. *Oecologia* 107: 274-282.
- 3.94 Legendre, P., R. Galzin & M. L. Harmelin-Vivien. 1997. Relating behavior to habitat: solutions to the fourth-corner problem. *Ecology* 78(2): 547-562.
- 3.95 He, F., P. Legendre & J. V. LaFrankie. 1997. Distribution patterns of tree species in a Malaysian tropical rain forest. *Journal of Vegetation Science* 8: 105-114.

- 3.96 Dufrêne, M. & P. Legendre. 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* 67: 345-366. <https://doi.org/10.2307/2963459>
- 3.97 Legendre, P. & B.H. McArdle. 1997. Comparison of surfaces. *Oceanologica Acta* 20 (1): 27-41.
- 3.98 Lanctôt, J.-L., P. Legendre & B. Salvat. 1997. How do coral reef Gastropods feel about nuclear testing? A long-term study of the effects of man-made perturbations. *Oceanologica Acta* 20 (1): 243-257.
- 3.99 Gauthier, S., D. Boisclair & P. Legendre. 1997. Evaluation of a variable angle scanning method to estimate relative abundance and distribution of fish using a single-beam echosounder in shallow lakes. *J. Fish Biol.* 50: 208-221.
- 3.100 Bellehumeur, C., P. Legendre & D. Marcotte. 1997. Variance and spatial scales in a tropical rain forest: changing the size of sampling units. *Plant Ecology* 130: 89-98.
- 3.101 Bellehumeur, C. & P. Legendre. 1997. Aggregation of sampling units: an analytical solution to predict variance. *Geographical Analysis* 29: 258-266.
- 3.102 Thrush, S. F., R. D. Pridmore, R. G. Bell, V. J. Cummings, P. K. Dayton, R. Ford, J. Grant, M. O. Green, J. E. Hewitt, A. H. Hines, T. M. Hume, S. M. Lawrie, P. Legendre, B. H. McArdle, D. Morrissey, D. C. Schneider, S. J. Turner, R. A. Walters, R. B. Whitlatch & M. R. Wilkinson. 1997. The sandflat habitat: scaling from experiments to conclusions. *J. Exp. Mar. Biol. Ecol.* 216: 1-9.
- 3.103 Grant, J., S. J. Turner, P. Legendre, T. M. Hume & R. G. Bell. 1997. Patterns of sediment reworking and transport over small spatial scales on an intertidal sandflat, Manukau Harbour, New Zealand. *J. Exp. Mar. Biol. Ecol.* 216: 33-50.
- 3.104 Hewitt, J. E., P. Legendre, B. H. McArdle, S. F. Thrush, C. Bellehumeur & S. M. Lawrie. 1997. Identifying relationships between adult and juvenile bivalves at different spatial scales. *J. Exp. Mar. Biol. Ecol.* 216: 77-98.
- 3.105 Legendre, P., S. F. Thrush, V. J. Cummings, P. K. Dayton, J. Grant, J. E. Hewitt, A. H. Hines, B. H. McArdle, R. D. Pridmore, D. C. Schneider, S. J. Turner, R. B. Whitlatch & M. R. Wilkinson. 1997. Spatial structure of bivalves in a sandflat: scale and generating processes. *J. Exp. Mar. Biol. Ecol.* 216: 99-128.
- 3.106 Thrush, S. F., V. J. Cummings, P. K. Dayton, R. Ford, J. Grant, J. E. Hewitt, A. H. Hines, S. M. Lawrie, R. D. Pridmore, P. Legendre, B. H. McArdle, D. C. Schneider, S. J. Turner, R. B. Whitlatch & M. R. Wilkinson. 1997. Matching the outcome of small-scale density manipulation experiments with larger scale patterns: an example of bivalve adult/juvenile interactions. *J. Exp. Mar. Biol. Ecol.* 216: 153-169.
- 3.107 Hines, A. H., R. B. Whitlatch, S. F. Thrush, J. E. Hewitt, V. J. Cummings, P. K. Dayton & P. Legendre. 1997. Nonlinear foraging response of a large marine predator to benthic prey: eagle ray pits and bivalves in a New Zealand sandflat. *J. Exp. Mar. Biol. Ecol.* 216: 191-210.
- 3.108 Thrush, S. F., D. C. Schneider, P. Legendre, R. B. Whitlatch, P. K. Dayton, J. E. Hewitt, A. H. Hines, V. J. Cummings, S. M. Lawrie, J. Grant, R. D. Pridmore, S. J. Turner & B. H. McArdle. 1997. Scaling-up from experiments to complex ecological systems: where to next? *J. Exp. Mar. Biol. Ecol.* 216: 243-254.

- 3.109 Augustin, D., R. Galzin, P. Legendre & B. Salvat. 1997. Variation interannuelle des peuplements récifaux du récif-barrière de Tiahura (île de Moorea, Polynésie française) [*Interannual variation of the reef populations of the Tiahura barrier reef (Moorea island, French Polynesia)*]. *Oceanologica Acta* 20: 743-756.
- 3.110 Méot, A., P. Legendre & D. Borcard. 1998. Partialling out the spatial component of ecological variation: questions and propositions in the linear modeling framework. *Environmental and Ecological Statistics* 5 (1): 1-27.
- 3.111 Bellehumeur, C. & P. Legendre. 1998. Multiscale sources of variation in ecological variables: modelling spatial dispersion, elaborating sampling designs. *Landscape Ecology* 13 (1): 15-25.
- 3.112 Tremblay, G., P. Legendre, R. Schetagne & R. Verdon. 1998. The use of polynomial regression analysis with indicator variables for interpretation of mercury in fish data. *Biogeochemistry* 40: 189-201.
- 3.113 Pan, D., A. Bouchard, P. Legendre & G. Domon. 1998. Influence of edaphic factors on the spatial structure of inland halophytic communities: a case study in China. *Journal of Vegetation Science* 9: 797-804.
- 3.114 Legendre, P. & M. J. Anderson. 1999. Distance-based redundancy analysis: testing multispecies responses in multifactorial ecological experiments. *Ecological Monographs* 69 (1): 1-24. <https://doi.org/10.2307/2657192>
- 3.115 Anderson, M. J. & P. Legendre. 1999. An empirical comparison of permutation methods for tests of partial regression coefficients in a linear model. *Journal of Statistical Computation and Simulation* 62: 271-303.
- 3.116 Pinel-Alloul, B, C. Guay, N. Angeli, P. Legendre, P. Dutilleul, G. Balvay, D. Gerdeaux & J. Guillard. 1999. Large-scale spatial heterogeneity of macrozooplankton in Lake of Geneva. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 1437-1451.
- 3.117 Makarenkov, V. & P. Legendre. 1999. Une méthode d'analyse canonique non-linéaire et son application à des données biologiques [*A non-linear canonical analysis method and its application to biological data*]. *Mathématiques, informatique et sciences humaines* 147: 135-147.
- 3.118 Lapointe, F.-J., G. Baron & P. Legendre. 1999. Encephalization, adaptation and evolution of Chiroptera: a statistical analysis with further evidence for bat monophyly. *Brain, Behavior and Evolution* 54: 119-126.
- 3.119 Sarrazin, J., S. K. Juniper, G. Massoth & P. Legendre. 1999. Physical and chemical factors influencing hydrothermal species distribution on two sulfide edifices of the Juan de Fuca Ridge, northeast Pacific. *Marine Ecology Progress Series* 190: 89-112.
- 3.120 Bellehumeur, C., D. Marcotte & P. Legendre. 2000. Estimation of regionalized phenomena by geostatistical methods: lake acidity on the Canadian Shield. *Environmental Geology* 39: 211-220.
- 3.121 Dutilleul, P., J. D. Stockwell, D. Frigon & P. Legendre. 2000. The Mantel-Pearson paradox: statistical considerations and ecological implications. *Journal of Agricultural, Biological and Environmental Statistics* 5 (2): 131-150.

- 3.122 Legendre, P. 2000. Comparison of permutation methods for the partial correlation and partial Mantel tests. *Journal of Statistical Computation and Simulation* 67: 37-73.
- 3.123 Avois, C., P. Legendre, S. Masson & B. Pinel-Alloul. 2000. Is the sampling strategy interfering with the study of spatial variability of zooplankton communities? *Canadian Journal of Fisheries and Aquatic Sciences* 57: 1940-1956. ["Perspective" section.]
- 3.124 Guay, J.-C., D. Boisclair, D. Rioux, M. Leclerc, M. Lapointe & P. Legendre. 2000. Development and validation of numerical habitat models for juveniles of Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 57: 2065-2075.
- Legendre, P. (Guest Editor) 2000. Special section on reticulate evolution. *Journal of Classification* 17: 153-195.
- 3.125 Legendre, P. 2000. Reticulate evolution: from bacteria to philosopher. *Journal of Classification* 17: 153-157.
- 3.126 Legendre, P. 2000. Biological applications of reticulation analysis. *Journal of Classification* 17: 191-195.
- 3.127 Legendre, P. & E. D. Gallagher. 2001. Ecologically meaningful transformations for ordination of species data. *Oecologia* 129: 271-280. <https://www.jstor.org/stable/4223083>
- 3.128 Makarenkov, V. & P. Legendre. 2001. Optimal variable weighting for ultrametric and additive trees and *K*-means partitioning: methods and software. *Journal of Classification* 18: 245-271.
- 3.129 Guay, J. C., D. Boisclair, M. Leclerc, M. Lapointe & P. Legendre. 2001. Science on the edge of spatial scales: a reply to the comment of Williams (2001). *Canadian Journal of Fisheries and Aquatic Sciences* 58: 2108-2111.
- 3.130 Makarenkov, V. & P. Legendre. 2002. Nonlinear redundancy analysis and canonical correspondence analysis based on polynomial regression. *Ecology* 83(4): 1146-1161.
- 3.131 He, F. & P. Legendre. 2002. Species diversity patterns derived from species-area models. *Ecology* 83(5): 1185-1198. ["Concepts & Synthesis" paper.]
- 3.132 Dalle, S. P., H. López, D. Díaz, P. Legendre & C. Potvin. 2002. Spatial distribution and habitats of useful plants: an initial assessment for conservation on an indigenous territory, Panama. *Biodiversity and Conservation* 11: 637-667.
- 3.133 Borcard, D. & P. Legendre. 2002. All-scale spatial analysis of ecological data by means of principal coordinates of neighbour matrices. *Ecological Modelling* 153: 51-68. [https://doi.org/10.1016/S0304-3800\(01\)00501-4](https://doi.org/10.1016/S0304-3800(01)00501-4)
- 3.134 Hooper, E., R. Condit & P. Legendre. 2002. Responses of 20 native tree species to reforestation strategies for abandoned farmland in Panama. *Ecological Applications* 12(6): 1626-1641.
- 3.135 Legendre, P., Y. Desclèves & E. Bazin. 2002. A statistical test for host-parasite coevolution. *Systematic Biology* 51(2): 217-234.
- 3.136 Legendre, P. & V. Makarenkov. 2002. Reconstruction of biogeographic and evolutionary networks using reticulograms. *Systematic Biology* 51(2): 199-216.

- 3.137 Dale, M., P. Dixon, M.-J. Fortin, P. Legendre, D. Myers & M. Rosenberg. 2002. Conceptual and mathematical relationships among methods for spatial analysis. *Ecography* 25: 558-577.
- 3.138 Dungan, J. L., J. N. Perry, M. R. T. Dale, P. Legendre, S. Citron-Pousty, M.-J. Fortin, A. Jakomulska, M. Miriti & M. S. Rosenberg. 2002. A balanced view of scaling in spatial statistical analysis. *Ecography* 25: 626-640.
- 3.139 Legendre, P., M. R. T. Dale, M.-J. Fortin, J. Gurevitch, M. Hohn & D. Myers. 2002. The consequences of spatial structure for the design and analysis of ecological field surveys. *Ecography* 25: 601-615.
- 3.140 Legendre, P., K. E. Ellingsen, E. Bjørnbom & P. Casgrain. 2002. Acoustic seabed classification: improved statistical method. *Canadian Journal of Fisheries and Aquatic Sciences* 59: 1085-1089.
- 3.141 Grillet, M. E., P. Legendre & D. Borcard. 2002. Community structure of neotropical wetland insects in Northern Venezuela. I. Temporal and environmental factors. *Archiv für Hydrobiologie* 155(3): 413-436.
- 3.142 Grillet, M. E., P. Legendre & D. Borcard. 2002. Community structure of neotropical wetland insects in Northern Venezuela. II. Habitat type and environmental factors. *Archiv für Hydrobiologie* 155(3): 437-453.
- 3.143 Hewitt, J. E., S. F. Thrush, P. Legendre, V. J. Cummings & A. Norkko. 2002. Integrating heterogeneity across spatial scales: interactions between *Atrina zelandica* and benthic macrofauna. *Marine Ecology Progress Series* 239: 115-128.
- 3.144 Desdevises, Y., S. Morand, O. Jousson & P. Legendre. 2002. Coevolution between *Lamellodiscus* (Monogenea: Diplectanidae) and Sparidae (Teleostei): the study of a complex host-parasite system. *Evolution* 56(12): 2459-2471.
- 3.145 Desdevises, Y., S. Morand & P. Legendre. 2002. Evolution and determinants of host specificity in the genus *Lamellodiscus* (Monogenea). *Biological Journal of the Linnean Society* 77 (4): 431-443.
- 3.146 Durand, S., M. Le Bel, S. K. Juniper & P. Legendre. 2002. The use of video surveys, a Geographic Information System and sonar backscatter data to study faunal community dynamics at Juan de Fuca Ridge hydrothermal vents. *Cahiers de Biologie Marine* 43: 235-240.
- 3.147 Tarroux, A., R. McNeil & P. Legendre. 2003. Influence of rainfall on the composition of a tropical avian assemblage in northeastern Venezuela. *Ecotropica* 9: 15-31.
- 3.148 Desdevises, Y., P. Legendre, L. Azouzi & S. Morand. 2003. Quantifying phylogenetically-structured environmental variation. *Evolution* 57: 2647-2652.
- 3.149 Legendre, P. 2003. Reply to the comment by Preston and Kirlin on "Acoustic seabed classification: improved statistical method". *Canadian Journal of Fisheries and Aquatic Sciences* 60: 1301-1305.
- 3.150 Makarenkov, V., P. Legendre & Y. Desdevises. 2004. Modelling phylogenetic relationships using reticulated networks. *Zoologica Scripta* 33: 89-96.
- 3.151 Makarenkov, V. & P. Legendre. 2004. From a phylogenetic tree to a reticulated network. *Journal of Computational Biology* 11(1): 195-212.

- 3.152 Lobo A., P. Legendre, J. L. G. Rebollar, J. Carreras & J.-M. Ninot. 2004. Land cover classification at a regional scale in Iberia: separability in a multi-temporal and multi-spectral data set of satellite images. *International Journal of Remote Sensing* 25:205-213.
- 3.153 Legendre, P. & F.-J. Lapointe. 2004. Assessing congruence among distance matrices: single malt Scotch whiskies revisited. *Australian and New Zealand Journal of Statistics* 46: 615-629.
- 3.154 Hewitt, J. E., S. F. Thrush, P. Legendre, G. A. Funnell, & M. Morrison. 2004. Mapping of marine soft-sediment communities: integrated sampling for ecological interpretation. *Ecological Applications* 14(4): 1203-1216.
- 3.155 Borcard, D., P. Legendre, C. Avois-Jacquet & H. Tuomisto. 2004. Dissecting the spatial structure of ecological data at multiple scales. *Ecology* 85: 1826-1832 [Statistical report].
- 3.156 Legendre, P., M. R. T. Dale, M.-J. Fortin, P. Casgrain & J. Gurevitch. 2004. Effects of spatial structures on the results of field experiments. *Ecology* 85: 3202-3214.
- 3.157 Hooper, E. R., P. Legendre & R. Condit. 2004. Factors affecting community composition of forest regeneration in deforested, abandoned land in Panama. *Ecology* 85: 3313-3326.
- 3.158 Bouchon-Navaro, Y., C. Bouchon, M. Louis & P. Legendre. 2005. Biogeographic patterns of coastal fish assemblages in the West Indies. *Journal of Experimental Marine Biology and Ecology* 315: 31-47.
- 3.159 Brind'Amour, A., D. Boisclair, P. Legendre & D. Borcard. 2005. Multiscale spatial distribution of a littoral fish community in relation to environmental variables. *Limnology and Oceanography* 50: 465-479.
- 3.160 Legendre, P. 2005. Species associations: the Kendall coefficient of concordance revisited. *Journal of Agricultural, Biological, and Environmental Statistics* 10: 226-245.
- 3.161 Legendre, P., D. Borcard & P. R. Peres-Neto. 2005. Analyzing beta diversity: partitioning the spatial variation of community composition data. *Ecological Monographs* 75: 435-450. ["Concepts & Synthesis" paper.] <https://doi.org/10.1890/05-0549>
- 3.162 Hooper, E., P. Legendre & R. Condit. 2005. Barriers to forest regeneration of deforested and abandoned land in Panama. *Journal of Applied Ecology* 42: 1165-1174.
- 3.163 Núñez-Lara, E., J. E. Arias-González & P. Legendre. 2005. Spatial patterns of Yucatan reef fish communities: testing models using a multi-scale survey design. *J. Exp. Mar. Biol. Ecol.* 324: 157-169.
- 3.164 Durand, S., P. Legendre & S. K. Juniper. 2006. Sonar backscatter differentiation of dominant macrohabitat types in a hydrothermal vent field. *Ecological Applications* 16: 1421-1435.
- 3.165 Clua, E., P. Legendre, L. Vigliola, F. Magron, M. Kulbicki, S. Sarramegna, P. Labrosse & R. Galzin. 2006. Medium-scale approach (MSA) for improved assessment of coral reef fish habitat. *Journal of Experimental Marine Biology and Ecology* 333: 219-230.
- 3.166 Passy, S. I. & P. Legendre. 2006. Power law relationships among hierarchical taxonomic categories in algae reveal a new paradox of the plankton. *Global Ecology and Biogeography* 15: 528-535.

- 3.167 Dray, S., P. Legendre & P. R. Peres-Neto. 2006. Spatial modelling: a comprehensive framework for principal coordinate analysis of neighbour matrices (PCNM). *Ecological Modelling* 196: 483-493.
- 3.168 Passy, S. I. & P. Legendre. 2006. Are algal communities driven toward maximum biomass? *Proceedings of the Royal Society B: Biological Sciences* 273: 2667-2674.
- 3.169 Tall, L., A. Cattaneo, L. Cloutier, S. Dray & P. Legendre. 2006. Resource partitioning in a grazer guild feeding on a multilayer diatom mat. *Journal of the North American Benthological Society* 25: 800-810.
- 3.170 Peres-Neto, P. R., P. Legendre, S. Dray & D. Borcard. 2006. Variation partitioning of species data matrices: estimation and comparison of fractions. *Ecology* 87: 2614-2625.
- 3.171 Sarrazin, J., P.M. Sarradin and the MoMARETO cruise participants: A.G. Allais, D. Almeida, S. Bernagout, R. Bettencourt, E. Bonnivard, V. Brandou, P. Briand, M. Bruneaux, E. Buffier, J.B. Burnet, N. Byrne, F. Cardigos, E. Coiras, R.P. Cosson, D. Cottin, D. Cuvelier, S. Dentrecolas, D. Desbruyères, P. Dorval, J. Dupont, M.C. Fabri, P. Gavaia, A. Godfroy, M. Gouillou, J. Gronemann, G. Hamel, M. Hamon, D. Higuët, U. Hoge, D. Jollivet, C. Le Gall, P. Legendre, D. Leroux, F. Lesongeur, J. Legrand, P. Léon, J.P. Lévêque, I. Martins, H. Ondréas, V. Riou, P. Rodier, E. Sauter, E. Savino, L. Sebastião, B. Shillito, P. Siméoni, A. Schultz, J.M. Sinquin, J.P. Sudreau, A. Tanguy, P. Taylor, R. Vuillemin, C. Waldmann, F. Zal. 2006. MoMARETO: a cruise dedicated to the spatio-temporal dynamics and the adaptations of hydrothermal vent fauna on the Mid-Atlantic Ridge. *InterRidge News* 15: 24-33.
- 3.172 Legendre, P. 2007. Studying beta diversity: ecological variation partitioning by multiple regression and canonical analysis. *Journal of Plant Ecology* (Chinese version), [formerly *Acta Phytocologica Sinica*] 31: 976-981.

[Published in Chinese: β -多样性的研究: 应用多元回归和典范分析研究生态方差的分解]
- 3.173 Lacey, R. W. J., P. Legendre & A. Roy. 2007. Spatial-scale partitioning of *in situ* turbulent flow data over a pebble cluster in a gravel-bed river. *Water Resources Research* 43, W03416, doi:10.1029/2006WR005044.
- 3.174 Houlahan, J. E., D. J. Currie, K. Cottenie, G. S. Cumming, S. K. M. Ernest, C. S. Findlay, S. D. Fuhlendorf, U. Gaedke, P. Legendre, J. J. Magnuson, B. H. McArdle, E. H. Muldavin, D. Noble, R. Russell, R. D. Stevens, T. J. Willis, I. P. Woivod, & S. M. Wondzell. 2007. Compensatory dynamics are rare in natural ecological communities. *Proceedings of the National Academy of Science (USA)* 104: 3273-3277.
- 3.175 Michel, N., F. Burel, P. Legendre & A. Butet. 2007. Role of habitat and landscape in structuring small mammal assemblages in hedgerow networks of contrasted farming landscapes in Brittany, France. *Landscape Ecology* 22 : 1241-1253.
- 3.176 Caraguel, C. G. B., C. J. O'Kelly, P. Legendre, S. Frasca Jr., R. J. Gast, B. M. Després, R. J. Cawthorn & S. J. Greenwood. 2007. Microheterogeneity and coevolution: an examination of rDNA sequence characteristics in *Neoparamoeba pemaquidensis* and its prokaryotoplastid endosymbiont. *Journal of Eukaryotic Microbiology* 54 : 418-426.
- 3.177 Paquette, A., E. Laliberté, A. Bouchard, S. de Blois, P. Legendre & J. Brisson. 2007. Lac Croche understory vegetation data set (1998-2006). *Ecology* 88: 3209. ["Data paper"]

- 3.178 Léonard, R., P. Legendre, M. Jean & A. Bouchard. 2008. Using the landscape morphometric context to resolve spatial patterns of submerged macrophyte communities in a fluvial lake. *Landscape Ecology* 23 : 91-105.
- 3.179 Legendre, P. 2008. Studying beta diversity: ecological variation partitioning by multiple regression and canonical analysis. *Journal of Plant Ecology (English version)* 1: 3-8. [Published by Oxford University Press on behalf of the Institute of Botany, Chinese Academy of Science.]
- 3.180 Cubo, J., P. Legendre, A. de Ricqlès, L. Montes, E. de Margerie, J. Castanet, & Y. Desdevises. 2008. Phylogenetic, functional, and structural components of variation in bone growth rate of amniotes. *Evolution & Development* 10: 217-227.
- 3.181 De Caceres, M., & P. Legendre. 2008. Beals smoothing revisited. *Oecologia* 156: 657-669.
- 3.182 Blanchet, F. G., P. Legendre, & D. Borcard. 2008. Modelling directional spatial processes in ecological data. *Ecological Modelling* 215: 325-336. Blanchet, F. G., P. Legendre, & D. Borcard. 2009. Erratum to “Modelling directional spatial processes in ecological data” [Ecological Modelling 215 (2008): 325–336]. *Ecological Modelling* 220: 82-83.
- 3.183 Jones, M. M., H. Tuomisto, D. Borcard, P. Legendre, D. B. Clark & P. C. Olivas. 2008. Explaining variation in tropical plant community composition: influence of environmental and spatial data quality. *Oecologia* 155: 593-604.
- 3.184 Rhainds, M., J. Brodeur, D. Borcard, & P. Legendre. 2008. Toward management guidelines for soybean aphid, *Aphis glycine*, in Québec. II. Spatial distribution of aphid populations in commercial soybean fields. *Canadian Entomologist* 140: 219-234.
- 3.185 Blanchet F. G., P. Legendre, & D. Borcard. 2008. Forward selection of explanatory variables. *Ecology* 89: 2623-2632.
- 3.186 Clua, E. & P. Legendre. 2008. Shifting dominance among Scarid species on reefs representing a gradient of fishing pressure. *Aquatic Living Resources* 21: 339-348.
- 3.187 Legendre, P., D. Borcard, & P. R. Peres-Neto. 2008. Analyzing or explaining beta diversity: Comment. *Ecology* 8: 3238-3244.
- 3.188 Dray, S. & P. Legendre. 2008. Testing the species traits-environment relationships: the fourth-corner problem revisited. *Ecology* 89: 3400-3412.
- 3.189 Arias-González, J. E., P. Legendre, & F. A. Rodríguez-Zaragoza. 2008. Scaling up beta diversity on Caribbean coral reefs. *Journal of Experimental Marine Biology and Ecology* 366: 28-36.
- 3.190 Escobar-Briones, E. G., C. Diaz, & P. Legendre. 2008a. Meiofaunal community structure of the deep-sea Gulf of Mexico: variability due to sorting methods. *Deep-Sea Research II: Topical Studies in Oceanography* 55: 2627-2633.
- 3.191 Escobar-Briones, E. G., A. Gaytán-Caballero, & P. Legendre. 2008b. Epibenthic megacrustaceans from the continental margin, slope and abyssal plain of the Southwestern Gulf of Mexico: factors responsible for variability in species composition and diversity. *Deep-Sea Research II: Topical Studies in Oceanography* 55: 2667-2678.

- 3.192 Escobar-Briones, E., E. L. Estrada Santillán, & P. Legendre. 2008c. Macrofaunal density and biomass in the Campeche Canyon, Southern Gulf of Mexico. *Deep Sea Research II: Topical Studies in Oceanography* 55: 2679-2686 .
- 3.193 Houlahan, J. E., K. Cottenie, G. S. Cumming, D. J. Currie, C. S. Findlay, U. Gaedke, P. Legendre, J. J. Magnuson, B. H. McArdle, R. D. Stevens, I. P. Woiwod, & S. M. Wondzell. 2008. The utility of covariances: a response to Ranta et al. *Oikos* 117: 1912-1913.
- 3.194 Laliberté, E., A. Paquette, P. Legendre, & A. Bouchard. 2009. Assessing the scale-specific importance of niches and other spatial processes on beta diversity: a case study from a temperate forest. *Oecologia* 159: 377-388.
- 3.195 Legendre, P., X. Mi, H. Ren, K. Ma, M. Yu, I. F. Sun, & F. He. 2009. Partitioning beta diversity in a subtropical broad-leaved forest of China. *Ecology* 90: 663-674.
- 3.196 Aubin, I., M.-H. Ouellette, P. Legendre, C. Messier & A. Bouchard. 2009. Comparison of two plant functional approaches to evaluate natural restoration along an old-field – deciduous forest chronosequence. *Journal of Vegetation Science* 20: 185-198.
- 3.197 Campbell, V., P. Legendre & F.-J. Lapointe. 2009. Assessing congruence among ultrametric distance matrices. *Journal of Classification* 26: 103-117.
- 3.198 Bachraty, C., P. Legendre & D. Desbruyères. 2009. Biogeographic relationships among deep-sea hydrothermal vent faunas at global scale. *Deep-Sea Research I* 56(8): 1371-1378.
- 3.199 Monti, D. & P. Legendre. 2009. Shifts between biotic and physical driving forces of species organization under natural disturbance regimes. *Canadian Journal of Fisheries and Aquatic Sciences* 66 (8): 1282-1293.
- 3.200 Legendre, P. & Y. Desdevises. 2009. Independent contrasts and regression through the origin. *Journal of Theoretical Biology* 259: 727-743.
- 3.201 Boutet, I., A. Tanguy, D. Le Guen, P. Piccino, S. Hourdez, P. Legendre, & D. Jollivet. 2009. Global depression in gene expression as a response to rapid thermal changes in vent mussels. *Proceedings of the Royal Society B* 276 : 3071-3079.
- 3.202 De Cáceres, M., & P. Legendre. 2009. Associations between species and groups of sites: indices and statistical inference. *Ecology* 90: 3566-3574.
- 3.203 Roy, M. L., A. G. Roy, & P. Legendre. 2010. The relations between ‘standard’ fluvial habitat variables and turbulent flow at multiple scales in morphological units of a gravel-bed river. *River Research and Applications* 26: 439-455.
- 3.204 Legendre, P., M. De Cáceres, & D. Borcard. 2010. Community surveys through space and time: testing the space-time interaction in the absence of replication. *Ecology* 91(1): 262-272.
- 3.205 Laliberté, E., & P. Legendre. 2010. A distance-based framework for measuring functional diversity from multiple traits. *Ecology* 91(1): 299-305.
- 3.206 Peres-Neto, P. R. & P. Legendre. 2010. Estimating and controlling for spatial structure in the study of ecological communities. *Global Ecology and Biogeography* 19: 174-184.

- 3.207 Moretti, M., M. De Cáceres, C. Pradella, M. K. Obrist, B. Wermelinger, P. Legendre & P. Duelli. 2010. Fire-induced taxonomic and functional changes in saproxylic beetle communities in fire sensitive regions. *Ecography* 33: 760-771.
- 3.208 Legendre, P. & M.-J. Fortin. 2010. Comparison of the Mantel test and alternative approaches for detecting complex multivariate relationships in the spatial analysis of genetic data. *Molecular Ecology Resources* 10: 831-844.
- 3.209 Epperson, B. K., B. H. McRae, K. Scribner, S. A. Cushman, M. S. Rosenberg, M.-J. Fortin, P. M. A. James, M. Murphy, S. Manel, P. Legendre, & M. R. T. Dale. 2010. Utility of computer simulations in landscape genetics. *Molecular Ecology* 19: 3549-3564.
- 3.210 Manel, S., B. N. Poncet, P. Legendre, F. Gugerli & R. Holderegger. 2010. Common factors drive adaptive genetic variation at different spatial scales in *Arabis alpina*. *Molecular Ecology* 19: 3824-3835.
- 3.211 Guénard, G., P. Legendre, D. Boisclair, & M. Bilodeau. 2010. Assessment of scale-dependent correlations between variables. *Ecology* 91: 2952-2964.
- 3.212 Noorduijn, S. L., A. Ghadouani, R. Vogwill, K. R. J. Smettem, & P. Legendre. 2010. Water table response to an experimental alley farming trial: dissecting the spatial and temporal structure of the data. *Ecological Applications* 20: 1704-1720.
- 3.213 Makarenkov, V., J. Xie, A. Boc, P. Peres-Neto, F.-J. Lapointe & P. Legendre. 2010. Weighted bootstrapping: a correction method for assessing the robustness of phylogenetic trees. *BMC Evolutionary Biology* 10: 250. doi:10.1186/1471-2148-10-250.
- 3.214 De Cáceres, M., P. Legendre & M. Moretti. 2010. Improving indicator species analysis by combining groups of sites. *Oikos* 119: 1674-1684.
- 3.215 Clua, E., N. Buray, P. Legendre, J. Mourier & S. Planes. 2010a. Behavioural response of sicklefin lemon sharks *Negaprion acutidens* to underwater feeding for ecotourism purposes. *Marine Ecology Progress Series* 414: 257-266.
- 3.216 Ali, G., A. Roy & P. Legendre. 2010. Spatial relationships between soil moisture patterns and topographic variables at multiple scales in a humid temperate forested catchment. *Water Resources Research* 46, W10526, doi:10.1029/2009WR008804.
- 3.217 Sattler, T., D. Borcard, R. Arlettaz, F. Bontadina, P. Legendre, M. Obrist, & M. Moretti. 2010. Spider, bee and bird communities in cities are shaped by environmental control and high stochasticity. *Ecology* 91: 3343-3353.
- 3.218 Clua, E., N. Buray, P. Legendre, J. Mourier & S. Planes. 2010b. Effects of provisioning on shark behaviour: Reply to Brunnschweiler & McKenzie (2010). *Marine Ecology Progress Series* 420: 285-288.
- 3.219 Declerck, S. A. J., J. S. Coronel, P. Legendre & L. Brendonck. 2011. Scale dependency of processes structuring metacommunities of cladocerans in temporary pools of High-Andes wetlands. *Ecography* 34: 296-305.
- 3.220 Campbell, V., P. Legendre, & F.-J. Lapointe. 2011. The performance of the Congruence Among Distance Matrices (CADM) test in phylogenetic analysis. *BMC Evolutionary Biology* 11: 64. doi:10.1186/1471-2148-11-64. <http://www.biomedcentral.com/1471-2148/11/64>.

- 3.221 Brind'Amour, A., D. Boisclair, S. Dray & P. Legendre. 2011. Relationships between species feeding traits and environmental conditions in fish communities: a three-matrix approach. *Ecological Applications* 21: 363-377.
- 3.222 Matabos M., S. Plouviez, S. Hourdez, D. Desbruyère, P. Legendre, A. Warén, D. Jollivet, & E. Thiébaud. 2011. Faunal changes and geographic crypticism indicate the occurrence of a biogeographic transition zone along the southern East Pacific Rise. *Journal of Biogeography* 38: 575-594.
- 3.223 Coat, S., D. Monti, P. Legendre, C. Bouchon, F. Massat & G. Lepoint. 2011. Organochlorine pollution in tropical rivers (Guadeloupe): role of ecological factors in food web bioaccumulation. *Environmental Pollution* 159: 1692-1701.
- 3.224 Blanchet, F. G., P. Legendre, R. Maranger, D. Monti & P. Pepin. 2011. Modelling the effect of directional spatial ecological processes at different scales. *Oecologia* 166: 357-368.
- 3.225 Legendre, P., J. Oksanen & C. J. F. ter Braak. 2011. Testing the significance of canonical axes in redundancy analysis. *Methods in Ecology and Evolution* 2: 269-277.
- 3.226 Clua, E., N. Buray, P. Legendre, J. Mourier & S. Planes. 2011. Business partner or simple catch? The economic value of the sicklefin lemon shark in French Polynesia. *Marine and Freshwater Research* 62: 764-770. (Special issue of MFR for the proceedings of the Sharks International Conference, Cairns, Australia, June 6-11, 2010).
- 3.227 Bellchambers, L. M., J. J. Meeuwig, S. N. Evans, & P. Legendre. 2011. Modelling habitat associations of the common spider conch in the Cocos (Keeling) Islands. *Marine Ecology Progress Series* 432: 83-90.
- 3.228 De Cáceres, M., D. Sol, O. Lapiedra & P. Legendre. 2011. A framework for estimating niche metrics using the resemblance between qualitative resources. *Oikos* 120: 1341-1350.
- 3.229 Sharma, S., P. Legendre, M. De Cáceres & D. Boisclair. 2011. The role of environmental and spatial processes in structuring native and non-native fish communities across thousands of lakes. *Ecography* 34: 762-771. DOI: 10.1111/j.1600-0587.2010.06811.x
- 3.230 Smokorowski, K. E., N. Bergeron, D. Boisclair, K. Clarke, S. Cooke, R. Cunjak, J. Dawson, B. Eaton, F. Hicks, P. Higgins, C. Katopodis, M. Lapointe, P. Legendre, M. Power, R. Randall, J. Rasmussen, G. Rose, A. Saint-Hilaire, B. Sellars, G. Swanson, N. Winfield, R. Wysocki & D. Zhu. 2011. NSERC's HydroNet: A national research network to promote sustainable hydropower and healthy aquatic ecosystems. *Fisheries* 36: 480-488. [Journal published by the *American Fisheries Society*, <http://www.fisheries.org/>.]
- 3.231 Ding, Q., Y. Liang, P. Legendre, X. He, K. Pei, X. Du & K. Ma. 2011. Availability of ectomycorrhizal fungi propagules in a degraded landscape after five-decade absence of host plants. *Mycorrhiza* 21: 669-680.
- 3.232 Arias-González, J. E., E. Nunez-Lara, F. A. Rodriguez-Zaragoza & P. Legendre. 2011. Reefscape proxies for the conservation of Caribbean coral reef biodiversity / Indicadores del paisaje arrecifal para la conservación de la biodiversidad de los arrecifes de coral del Caribe. *Ciencias Marinas* 37 (1): 87-96.

- 3.233 Guénard, G., P. C. von der Ohe, D. de Zwart, P. Legendre & S. Lek. 2011. Using phylogenetic information to predict species tolerances to toxic chemicals. *Ecological Applications* 21: 3178-3190.
- 3.234 Bellchambers, L. M., J. J. Meeuwig, S. N. Evans, & P. Legendre. 2011. Modelling habitat associations of 14 species of holoturians from an unfished coral atoll: implications for fisheries management. *Aquatic Biology* 14: 57-66.
- 3.235 Kopp, D., Y. Bouchon-Navaro, M. Louis, P. Legendre & C. Bouchon. 2012. Spatial and temporal variation in a Caribbean herbivorous fish assemblage. *Journal of Coastal Research* 28: 63-72. [Janvier 2012]
- 3.236 Ouellette, M.-H., P. Legendre & D. Borcard. 2012. Cascade multivariate regression tree: a novel approach for modelling nested explanatory sets. *Methods in Ecology & Evolution* 3: 234-244. [Mars 2012]
- 3.237 Legendre, P., D. Borcard & D. W. Roberts. 2012. Variation partitioning involving orthogonal spatial eigenfunction submodels. *Ecology* 93: 1234-1240. [May 2012]
- 3.238 De Cáceres, M., P. Legendre, R. Valencia, M. Cao, L.-W. Chang, G. Chuyong, R. Condit, Z. Hao, C.-F. Hsieh, S. Hubbell, D. Kenfack, K. Ma, X. Mi, N. Supardi Noor, A. R. Kassim, H. Ren, S.-H. Su, I.-F. Sun, D. Thomas, W. Ye & F. He. 2012. The variation of tree beta diversity across a global network of forest plots. *Global Ecology and Biogeography* 21: 1191-1202. doi: 10.1111/j.1466-8238.2012.00770.x).
- 3.239 Borcard, D. & P. Legendre. 2012. Is the Mantel correlogram powerful enough to be useful in ecological analysis? A simulation study. *Ecology* 93: 1473-1481. [June 2012]
- 3.240 Beltrán, Y., C. M. Centeno, F. García-Oliva, P. Legendre & L. I. Falcón. 2012. N₂ fixation rates and associated diversity (*nifH*) of microbialite and mat-forming consortia from different aquatic environments in Mexico. *Aquatic Microbial Ecology* 67: 15-24. (Submitted, March 10, 2011; submitted with corrections, August 8, 2011; accepted May 3rd, 2012).
- 3.241 Dray, S., R. Péliissier, P. Couteron, M.-J. Fortin, P. Legendre, P. R. Peres-Neto, E. Bellier, R. Bivand, F. G. Blanchet, M. De Cáceres, A.-B. Dufour, E. Heegaard, T. Jombart, F. Munoz, J. Oksanen, J. Thioulouse & H. H. Wagner. 2012. Community ecology in the age of multivariate multiscale spatial analysis. *Ecological Monographs* 82: 257-275.
- 3.242 Manel, S., F. Gugerli, W. Thuiller, N. Alvarez, P. Legendre, R. Holderegger, L. Gielly & P. Taberlet. 2012. Broad-scale adaptive genetic variation in Alpine plants is mainly driven by temperature and precipitation. *Molecular Ecology* 21: 3729-3738.
- 3.243 Lacoursière-Roussel, A., D. G. Bock, M. E. Cristescu, F. Guichard, P. Girard, P. Legendre & C. W. McKindsey. 2012. Disentangling invasion processes in a dynamic shipping-boating network. *Molecular Ecology* 21(17): 4227-4241.
- 3.244 Walker, S., G. Guénard, P. Sólymos & P. Legendre. 2012. Multiple-table data in R with the multitable package. *Journal of Statistical Software* 51: 1-38.
- 3.245 De Cáceres, M., P. Legendre, S. K. Wiser & L. Brotons. 2012. Using species combinations in indicator value analyses. *Methods in Ecology and Evolution* 3: 973-982.

- 3.246 Bertolo, A., F. G. Blanchet, P. Magnan, P. Brodeur, M. Mingelbier, & P. Legendre. 2012. Inferring processes from spatial patterns: the role of directional and non-directional forces in shaping fish larvae distribution in a freshwater lake system. *PLoS ONE* 7(11): e50239. doi:10.1371.
- 3.247 Sharma, S., P. Legendre, D. Boisclair & S. Gauthier. 2012. Effects of spatial scale and choice of statistical model (linear versus tree-based) on determining species-habitat relationships. *Canadian Journal of Fisheries and Aquatic Sciences* 69: 2095-2111.
- 3.248 Centeno, C. M., P. Legendre, Y. Beltrán, R. J. Alcántara-Hernández, U. E. Lidström, M. N. Ashby, & L. I. Falcón. 2012. Microbialite genetic diversity and composition relate to environmental variables. *FEMS Microbiology Ecology* 82: 724-735.
- 3.249 Mines, C., A. Ghadouani, N. D. Yan, P. Legendre & G. N. Ivey. 2013. Examining shifts in zooplankton community variability following biological invasion. *Limnology & Oceanography* 58: 399-408.
- 3.250 Terrier, A., M. Girardin, C. Périé, P. Legendre & Y. Bergeron. 2013. Potential changes in forest composition could reduce impacts of climate change on boreal wildfires. *Ecological Applications* 23: 21-35.
- 3.251 Genard, B., B. Marie, E. Loumaye, B. Knoop, P. Legendre, F. Zal & J.-F. Rees. 2013. Living in a hot redox soup: antioxidant defences of the hydrothermal worm, *Alvinella pompejana*. *Aquatic Biology* 18: 217-228.
- 3.252 Pinel-Alloul, B., A. André, P. Legendre, J. Cardille, K. Patalas & A. Salki. 2013. Large-scale geographic patterns of diversity and community structure of pelagic crustacean zooplankton in Canadian lakes. *Global Ecology and Biogeography* 22: 784-795.
- 3.253 Sork, V. L., S. N. Aitken, R. J. Dyer, A. J. Eckert, P. Legendre & D. B. Neale. 2013. Putting the landscape into the genomics of forest trees: Approaches for understanding local adaptation and population responses to a changing climate. *Tree Genetics & Genomes* 9: 901-911.
- 3.254 Legendre, P. & M. De Cáceres. 2013. Beta diversity as the variance of community data: dissimilarity coefficients and partitioning. *Ecology Letters* 16: 951-963. <https://dx.doi.org/10.1111/ele.12141>
- 3.255 Lanthier, G., D. Boisclair, G. Bourque, P. Legendre, M. Lapointe, & B. Angers. 2013. Optimization of temporal versus spatial replication in the development of habitat use models to explain among-reach variations of fish density estimates in rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 70: 600-609.
- 3.256 Rogic, A., N. Tessier, P. Legendre, F.-J. Lapointe & V. Millien. 2013. Genetic structure of the white-footed mouse in the context of the emergence of Lyme disease in southern Québec. *Ecology and Evolution* 3: 2075-2088.
- 3.257 Guénard, G., P. Legendre & P. R. Peres-Neto. 2013. Phylogenetic eigenvector maps: a framework to model and predict species traits. *Methods in Ecology and Evolution* 4: 1120-1131. (Article first published online: 23 Oct 2013, doi: 10.1111/2041-210X.12111).
- 3.258 De Cáceres, M., P. Legendre & F. He. 2013. Dissimilarity measurements and the size structure of ecological communities. *Methods in Ecology and Evolution* 4: 1167-1177. (Article first published online : 18 NOV 2013, doi: 10.1111/2041-210X.12116).

- 3.259 Legendre, P. & O. Gauthier. 2014. Statistical methods for temporal and space-time analysis of community composition data. *Proceedings of the Royal Society B* 281: 20132728.
- 3.260 Tremblay, R., R. Pienitz & P. Legendre. 2014. Reconstructing phosphorus levels using models based on the modern diatom assemblages of 55 lakes in southern Quebec. *Canadian Journal of Fisheries and Aquatic Sciences* 71: 887-914. dx.doi.org/10.1139/cjfas-2013-0469
- 3.261 Cuvelier, D., P. Legendre, A. Laes, P.-M. Sarradin & J. Sarrazin. 2014. Rhythms and community dynamics of a hydrothermal tubeworm assemblage at Main Endeavour Field – A multidisciplinary deep-sea observatory approach. *PLoS ONE* 9(5): e96924. [doi:10.1371/journal.pone.0096924](http://dx.doi.org/10.1371/journal.pone.0096924).
- 3.262 Guénard, G., P. C. von der Ohe, S. C. Walker, S. Lek & P. Legendre. 2014. Using phylogenetic information and chemical properties to predict species tolerances to pesticides. *Proc. R. Soc. B* 281: 20133239.
- 3.263 Sarrazin, J., D. Cuvelier, L. Peton, P. Legendre & P. M. Sarradin. 2014. High-resolution dynamics of a deep-sea hydrothermal mussel assemblage monitored by the EMSO-Açores MoMAR observatory. *Deep-Sea Research I* 90: 62-75. (Published online, 10 May 2014; <http://dx.doi.org/10.1016/j.dsr.2014.04.004>).
- 3.264 Blanchet, F. G., P. Legendre, J. A. C. Bergeron & F. He. 2014. Consensus RDA across dissimilarity coefficients for canonical ordination of community composition data. *Ecological Monographs* 84: 491-511. [doi: 10.1890/13-0648.1](http://dx.doi.org/10.1890/13-0648.1)
- 3.265 Voisin, G., G. F. Bouvet, P. Legendre, A. Dagenais, C. Massé & Y. Berthiaume. 2014. Oxidative stress modulates the expression of genes involved in cell survival in $\Delta F508$ cystic fibrosis airway epithelial cells. *Physiological Genomics* 46: 634-646. [doi:10.1152/physiolgenomics.00003.2014](http://dx.doi.org/10.1152/physiolgenomics.00003.2014).
- 3.266 Legendre, P. 2014. Interpreting the replacement and richness difference components of beta diversity. *Global Ecology and Biogeography* 23: 1324-1334. [doi: 10.1111/geb.12207](http://dx.doi.org/10.1111/geb.12207)
- 3.267 Murtagh, F. & P. Legendre. 2014. Ward's hierarchical agglomerative clustering method: which algorithms implement Ward's criterion? *Journal of Classification* 31: 274-295. [doi: 10.1007/s00357-014-9161-z](http://dx.doi.org/10.1007/s00357-014-9161-z)
- 3.268 Macnaughton, C., S. Harvey-Lavoie, C. Senay, G. Lanthier, G. Bourque, P. Legendre & D. Boisclair. 2015. A comparison of electrofishing and visual surveying methods for estimating fish community structure in temperate rivers. *River Research and Applications* 31: 1040-1051. [doi: 10.1002/rra.2787](http://dx.doi.org/10.1002/rra.2787).
- 3.269 Winegardner, A. K., B. E. Beisner, P. Legendre & I. Gregory-Eaves. 2015. Are the landscape-level drivers of water column and surface sediment diatoms different? *Freshwater Biology* 60: 267-281. [doi: 10.1111/fwb.12478](http://dx.doi.org/10.1111/fwb.12478)
- 3.270 Guénard, G., D. Boisclair & P. Legendre. 2015. Phylogenetics to help predict active metabolism. *Ecosphere* 6: art62. [doi: 10.1890/ES14-00479.1](http://dx.doi.org/10.1890/ES14-00479.1)
- 3.271 Sarrazin, J., P. Legendre, F. De Busserolles, M.-C. Fabri, K. Guilini, V. N. Ivanenko, M. Morineaux, A. Vanreusel & P.-M. Sarradin. 2015. Biodiversity patterns, environmental drivers and indicator species on a high-temperature hydrothermal edifice, Mid-Atlantic Ridge. *Deep-Sea Research II* 121: 177-192. <http://dx.doi.org/10.1016/j.dsr2.2015.04.013>.

- 3.272 Gaudreau, J., L. Perez et P. Legendre. 2015. Identification des variables expliquant la distribution spatiale d'oiseaux de la forêt boréale et modélisation de tendances futures : une approche multivariée [*Identification of variables explaining the spatial distribution of boreal forest birds and modeling of future trends: a multivariate approach*]. *Cybergeo : Revue européenne de géographie / European Journal of Geography* [on line], document #722. doi: 10.4000/cybergeo.26969.
- 3.273 Charles-Dominique, T., C. Edelin, A. Bouchard, P. Legendre & J. Brisson. 2015. Using intra-individual variation in shrub architecture to explain population cover. *Oikos* 124: 707-716.
- 3.274 Legendre, P. & B. Salvat. 2015. Thirty-year recovery of mollusc communities after nuclear experimentations on Fangataufa atoll (Tuamotu, French Polynesia). *Proceedings of the Royal Society B* 282: 20150750. doi: 10.1098/rspb.2015.0750.
- 3.275 Legendre, P., M.-J. Fortin & D. Borcard. 2015. Should the Mantel test be used in spatial analysis? *Methods in Ecology and Evolution* 6: 1239-1247. doi: 10.1111/2041-210X.12425.
- 3.276 Macnaughton, C. J., F. McLaughlin, G. Bourque, C. Senay, G. Lanthier, S. Harvey-Lavoie, P. Legendre, M. Lapointe & D. Boisclair. 2015. The effects of regional hydrologic alteration on fish community structure in regulated rivers. *River Research and Applications* 33: 249-257. doi: 10.1002/rra.2991.
- 3.277 Lamy, T., P. Legendre, Y. Chancerelle, G. Siu & J. Claudet. 2015. Understanding the spatio-temporal response of coral reef fish communities to natural disturbances: insights from beta-diversity decomposition. *PLoS ONE* 10: e0138696. doi:10.1371/journal.pone.0138696.
- 3.278 Blanchet, F. G., P. Legendre & F. He. 2016. A new cost-effective approach to survey ecological communities. *Oikos* 125: 975-987. doi: 10.1111/oik.02838.
- 3.279 Guénard, G., G. Lanthier, S. Harvey-Lavoie, C. J. Macnaughton, C. Senay, M. Lapointe, P. Legendre & D. Boisclair. 2016. A spatially-explicit assessment of the fish population response to flow management in a heterogeneous landscape. *Ecosphere* 7(5): e01252. doi: 10.1002/ecs2.1252.
- 3.280 Macnaughton, C. J., C. Senay, I. Dolinsek, G. Bourque, A. Maheu, G. Lanthier, S. Harvey-Lavoie, J. Asselin, P. Legendre & D. Boisclair. 2016. Using fish guilds to assess community responses to temperature and flow regimes in unregulated and regulated Canadian rivers. *Freshwater Biology* 61: 1759-1772. doi:10.1111/fwb.12815.
- 3.281 Tardif, S., É. Yergeau, J. Tremblay, P. Legendre, L. G. Whyte & C. W. Greer. 2016. The willow microbiome is influenced by soil petroleum-hydrocarbon concentration with plant compartment-specific effects. *Frontiers in Microbiology* 7: 1363. doi: 10.3389/fmicb.2016.01363.
- 3.282 Guénard, G., G. Lanthier, S. Harvey-Lavoie, C. J. Macnaughton, C. Senay, M. Lapointe, P. Legendre & D. Boisclair. 2016. Modelling habitat distributions for multiple species using phylogenetics. *Ecography* 40: 1088-1097. doi: 10.1111/ecog.02423.
- 3.283 Lévesque, D., C. Hudon, P. James & P. Legendre. 2017. Environmental factors structuring benthic primary producers at different spatial scales in the St. Lawrence River (Canada). *Aquatic Sciences* 79: 345-356. doi: 10.1007/s00027-016-0501-4.

- 3.284 Lelièvre, Y., P. Legendre, M. Matabos, S. Mihály, C. P. Arango, R. W. Lee, P.-M. Sarradin & J. Sarrazin. 2017. Astronomical and atmospheric impacts on deep-sea hydrothermal vent invertebrates. *Proceedings of the Royal Society B* 284: 20162123.
- 3.285 Cuvelier, D., P. Legendre, A. Laës-Huon, P.-M. Sarradin & J. Sarrazin. 2017. Biological and environmental rhythms in (dark) deep-sea hydrothermal ecosystems. *Biogeosciences* 14: 2955–2977. <https://doi.org/10.5194/bg-14-2955-2017>.
- 3.286 Taranu, Z. E., I. Gregory-Eaves, R. J. Steele, M. Beaulieu & P. Legendre. 2017. Predicting microcystin concentrations in lakes and reservoirs at a continental scale: A new framework for modelling an important health risk factor. *Global Ecology and Biogeography* 26: 625–637. <https://doi.org/10.1111/geb.12569>.
- 3.287 Pelletier, J., A. Siampale, P. Legendre, P. Jantz, N. Laporte & S. Goetz. 2017. Human and natural controls of the variation in aboveground tree biomass in African dry tropical forests. *Ecological Applications* 27: 1578–1593. <https://doi.org/10.1002/eap.1550>. Published online, 12 June 2017.
- 3.288 Poisot, T., C. Guéveneux-Julien, M.-J. Fortin, D. Gravel & P. Legendre. 2017. Hosts, parasites and their interactions respond to different climatic variables. *Global Ecology and Biogeography* 26: 942–951. <https://doi.org/10.1111/geb.12602>. Published online, 15 June 2017.
- 3.289 Winegardner, A. K., P. Legendre, B. E. Beisner, & I. Gregory-Eaves. 2017. Diatom diversity patterns over the past c. 150 years across the conterminous United States of America: identifying mechanisms behind beta diversity. *Global Ecology and Biogeography* 26: 1303–1315. <https://doi.org/10.1111/geb.12640>.
- 3.290 Obame Engone, J.-P., P. Legendre, L. Bélanger, D. Borcard & B. S. Assame. 2017. Caractérisation de la mosaïque forestière et identification des espèces indicatrices en forêt tropicale humide d’Ipasa, Gabon [*Characterization of the forest mosaic and identification of indicator species in the tropical rainforest of Ipasa, Gabon*]. *Revue Scientifique et Technique Forêt et Environnement du Bassin du Congo* 9: 11–19.
- 3.291 Boyé, A., P. Legendre, J. Grall & O. Gauthier. 2017. Constancy despite variability: local and regional macrofaunal diversity in intertidal seagrass beds. *Journal of Sea Research* 130: 107–122. <http://dx.doi.org/10.1016/j.seares.2017.06.004>.
- 3.292 Sor, R., P. Legendre & S. Lek. 2018. Uniqueness of sampling sites contributions to the total variance of macroinvertebrate communities in the Lower Mekong Basin. *Ecological Indicators* 84: 425–432. <http://dx.doi.org/10.1016/j.ecolind.2017.08.038>.
- 3.293 Guénard, G. & P. Legendre. 2018. Bringing multivariate support to multiscale codependence analysis: assessing the drivers of community structure across spatial scales. *Methods in Ecology and Evolution* 9: 292–304. <https://doi.org/10.1111/2041-210X.12864>.
- 3.294 Kuczynski, L., P. Legendre & G. Grenouillet. 2018. Concomitant impacts of climate change, fragmentation and non-native species have led to reorganization of fish communities since the 1980s. *Global Ecology and Biogeography* 27: 213–222. <https://doi.org/10.1111/geb.12690>.
- 3.295 Foubert, A., F. Lecomte, P. Legendre & M. Cusson. 2018. Spatial organization of fish communities in the St. Lawrence River: a test for longitudinal gradients and spatial

- heterogeneities in a large river system. *Hydrobiologia* 809: 155–173. <https://doi.org/10.1007/s10750-017-3457-z>.
- 3.296 Legendre, P. & D. Borcard. 2018. Box-Cox-chord transformations for community composition data prior to beta diversity analysis. *Ecography* 41: 1820–1824. <https://doi.org/10.1111/ecog.03498>.
- 3.297 Ngor, P. B., P. Legendre, T. Oberdorff & S. Lek. 2018. Flow alterations by dams shaped fish assemblage dynamics in the complex Mekong-3S river system. *Ecological Indicators* 88: 103–114. <https://doi.org/10.1016/j.ecolind.2018.01.023>.
- 3.298 Lelièvre, Y., J. Sarrazin, J. Marticorena, G. Schaal, T. Day, P. Legendre, S. Hourdez & M. Matabos. 2018. Biodiversity and trophic ecology of hydrothermal vent fauna associated with tubeworm assemblages on the Juan de Fuca Ridge. *Biogeosciences* 15: 2629–2647. <https://doi.org/10.5194/bg-15-2629-2018>.
- 3.299 Mimouni, El-A., B. Pinel-Alloul, B. Beisner & P. Legendre. 2018. Summer assessment of zooplankton biodiversity and environmental control in urban waterbodies on the Island of Montréal. *Ecosphere* 9: e02277. <http://dx.doi.org/10.1002/ecs2.2277>.
- 3.300 Brind'Amour, A., S. Mahévas, P. Legendre & L. Bellanger. 2018. Application of Moran Eigenvector Maps (MEM) to irregular sampling designs. *Spatial Statistics* 16: 56–68. <https://doi.org/10.1016/j.spasta.2018.05.004>.
- 3.301 Houlahan, J. E., D. J. Currie, K. Cottenie, G. S. Cumming, C. S. Findlay, S. D. Fuhlendorf, P. Legendre, E. H. Muldavin, D. Noble, R. Russell, R. D. Stevens, T. J. Willis & S. M. Wondzell. 2018. Negative relationships between species richness and temporal variability are common but weak in natural systems. *Ecology* 99: 2592–2604. <https://doi.org/10.1002/ecy.2514>.
- 3.302 De Cáceres, M., L. Coll, P. Legendre, R. Allen, S. Wiser, M.-J. Fortin, R. Condit & S. Hubbell. 2019. Trajectory analysis in community ecology. *Ecological Monographs* 89(2): e01350. <http://dx.doi.org/10.1002/ecm.1350>.
- 3.303 Yao, J., C. Zhang, M. De Cáceres, P. Legendre & X. Zhao. 2019. Variation in compositional and structural components of community assemblage and its determinants. *Journal of Vegetation Science* 30: 257–268. <https://doi.org/10.1111/jvs12708>.
- 3.304 Legendre, P. 2019. A temporal beta-diversity index to identify sites that have changed in exceptional ways in space-time surveys. *Ecology and Evolution* 9: 3500–3514. <https://doi.org/10.1002/ece3.4984>.
- 3.305 Legendre, P. & R. Condit. 2019. Spatial and temporal analysis of beta diversity in the Barro Colorado Island forest dynamics plot, Panama. *Forest Ecosystems* 6:7, pp. 1–11. <https://doi.org/10.1186/s40663-019-0164-4>.
- 3.306 Souza, C. A., L. C. G. Vieira, P. Legendre, P. Carvalho, L. F. M. Velho & B. E. Beisner. 2019. Damming interacts with the flood pulse to alter zooplankton communities in an Amazonian river. *Freshwater Biology* 64:1040–1053. <https://doi.org/10.1111/fwb.13284>.
- 3.307 Pearse, W., P. Legendre, P. Peres-Neto & J. Davies. 2019. The interaction of phylogeny and community structure: linking the community composition and trait evolution of clades. *Global Ecology & Biogeography* 28(10): 1499–1511. <https://doi.org/10.1111/geb.12938>.

- 3.308 Brice, M.-H., K. Cazelles, P. Legendre & M.-J. Fortin. 2019. Disturbances amplify tree community responses to climate change in the temperate-boreal ecotone. *Global Ecology & Biogeography* 28:1668–1681. <https://doi.org/10.1111/geb.12971>.
- 3.309 Boyé, A., É. Thiébaud, J. Grall, P. Legendre, C. Broudin, C. Houbin, V. Le Garrec, M. Maguer, G. Droual & O. Gauthier. 2019. Trait-based approach to monitoring marine benthic data along 500 km of coastline. *Diversity and Distributions* 2019; 00:1–18. <https://doi.org/10.1111/ddi.12987>.
- 3.310 Martin, Y., H. Van Dyck, P. Legendre, J. Settele, O. Schweiger, A. Harpke, M. Weimers, A. Ameztegui & N. Titeux. 2019. A novel tool to assess the effect of intraspecific spatial niche variation on species distribution shifts under climate change. *Global Ecology and Biogeography* 29: 590–602. <https://doi.org/10.1111/geb.13036>.
- 3.311 Wang, J., P. Legendre, J. Soininen, C.-F. Yeh, E. Graham, J. Stegen, E. O. Casamayor, J. Zhou, J. Shen & F. Pan. 2020. Temperature drives local contributions to beta diversity in mountain streams: stochastic and deterministic processes. *Global Ecology and Biogeography* 29: 420–432. <https://doi.org/10.1111/geb.13035>.
- 3.312 Laliberté, É., A. K. Schweiger & P. Legendre. 2020. Partitioning plant spectral diversity into alpha and beta components. *Ecology Letters* 23: 370–380. <https://doi.org/10.1111/ele.13429>.
- 3.313 Brice, M.-H., S. Vissault, W. Vieira, D. Gravel, P. Legendre & M.-J. Fortin. 2020. Moderate disturbances accelerate forest transition dynamics under climate change in the temperate-boreal ecotone of eastern North America. *Global Change Biology* 26: 4418–4435. <http://dx.doi.org/10.1111/gcb.15143>.
- 3.314 Schmera, D., J. Podani & P. Legendre. 2020. What do beta diversity components reveal from presence-absence community data? Let us connect every indicator to an indicandum! *Ecological Indicators* 117: 106540 (12 pages). <https://doi.org/10.1016/j.ecolind.2020.106540>. Supplements: <https://ars.els-cdn.com/content/image/1-s2.0-S1470160X20304775-mmc1.doc>.
- 3.315 Madi, N., M. Vos, C. L. Murall, P. Legendre & B. J. Shapiro. 2020. Does diversity beget diversity in microbiomes? *eLife* 9: e58999. <https://doi.org/10.7554/eLife.58999>. Supplements: same DOI. (Published 20 November 2020.)
- 3.316 Taranu, Z. E., B. Pinel-Alloul & P. Legendre. 2020. Large-scale multi-trophic co-response models and environmental control of pelagic food webs in Québec lakes. *Oikos* 130: 377–395. <https://doi.org/10.1111/oik.07685>. (Publ. as Early View, 24 December 2020).
- 3.317 Makarenkov, V., B. Mazouze, G. Rabusseau & P. Legendre. 2021. Horizontal gene transfer and recombination analysis of SARS-CoV-2 genes helps discover its close relatives and shed light on its origin. *BMC Ecology and Evolution* 21, 5 (2021). [18 pages] <https://doi.org/10.1186/s12862-020-01732-2>. (Published 21 January 2021.)
- 3.318 Adaïmé, M.-É., R. Pienitz, P. Legendre & D. Antoniades. 2021. Postglacial paleoenvironmental reconstruction of the Fury and Hecla Strait region (Nunavut) inferred from microfossils and geochemical proxies. *Journal of Quaternary Science* (Early View 2021, 1–15). <https://doi.org/10.1002/jqs.3287>.
- 3.319 Mogouong, J., P. Constant, P. Legendre & C Guertin. 2021. The phyllosphere microbiome of host trees contributes more than leaf phytochemicals to variation in the *Agrilus planipennis*

- Fairmaire gut microbiome structure. *Scientific Reports* 11: 15911. <https://doi.org/10.1038/s41598-021-95146-9>.
- 3.320 Schmera, D., P. Legendre, T. Erős, M. Tóth, E. Magyari, B. Baur & J. Podani. 2022. New measures for quantifying directional changes in presence-absence community data. *Ecological Indicators* 136: 108618 (9 pages). <https://doi.org/10.1016/j.ecolind.2022.108618>.
- 3.321 Dansereau, G., P. Legendre & T. Poisot. 2022. Evaluating ecological uniqueness over broad spatial extents using species distribution modelling. *Oikos* 2022: e09063 (13 pages). <https://doi.org/10.1111/oik.09063>.
- 3.322 Guénard, G. & P. Legendre. 2022. Hierarchical clustering with contiguity constraint in R. *Journal of Statistical Software* 103 (7): 1–26. <https://doi.org/10.18637/jss.v103.i07>.
- 3.323 Taranu, Z.E., P. Legendre, E. Cusson & B. Pinel-Alloul. 2023. Riverscale distribution of zooplankton in the St. Lawrence River in relation to hydrological networks, hydroperiods and local environmental gradients. *Hydrobiologia*, 22 pages. <https://doi.org/10.1007/s10750-023-05259-7>. Published online 14 June 2023.
- 3.324 Deschênes, É., M. Poulin, M.-H. Brice, P. Legendre & S. Pellerin. Mosses and vascular plants show diverging diversity patterns along a latitudinal gradient in bogs and fens. *Journal of Vegetation Science* JVS-RES-06383 (in press). (Accepted 07 December 23023.)
- 3.325 Van Audenhaege, L., J. Sarrazin, P. Legendre, G. Perrois, M. Cannat, A. Arnaubect & M. Matabos. 2024. Monitoring ecological dynamics on complex hydrothermal structures: a novel photogrammetry approach reveals fine-scale variability of vent assemblages. *Limnology and Oceanography* 69: 1–14. <https://doi.org/10.1002/lno.12486>. Published online 5 January 2024.

4. Submitted papers (January 2024)

- 4.1 Zhang, A, J. Chen, H. Cui, J. Wang, S. Chen, H. Gao, X. Jiang, S. Xiao, L. An & P. Legendre. Shrub encroachment alters the spatial patterns of nematode taxonomic and functional diversity on the Qinghai–Tibet Plateau. *Conservation Biology* (submitted 17 September 2023, 23-603).
- 4.2 Wittische, J., P. Legendre & P.M. James. Detecting temporal changes in genetic diversity: a new tool for molecular ecology studies with repeated surveys. *Ecosphere* (submitted, 25 July 2023, ECS23-0458).
- 4.3 Redondo, M. A., C. M. Jones, P. Legendre, G. Guénard & S. Hallin. Predicting genomic traits in ammonia-oxidizing archaea using phylogenetic signals. *Microbiome* (submitted 14 September 2023, Submission ID 4ea18c0a-0334-4e08-bae8-0e1efa8a5a28).
- 4.4 Galloso, P., G.M. Correa & P. Legendre. The impacts of El Niño Southern Oscillation on the fish community structure of the northern Humboldt Current System. *Deep-Sea Research Part II* (submitted, 7 January 2024; DSR2-D-24-00004).

5. Refereed conference proceedings

- 5.1 Legendre, P. & M. Gagnon. 1977. The ecological data bank of the James Bay hydroelectric development. Pp. 305-309 in: Proc. Fifth Biennial Int. CODATA Conf., Boulder, Colorado. Pergamon Press, New York. 642 p.

- 5.2 Legendre, P., M. Troussellier & B. Baleux. 1984. Indices descriptifs pour l'étude de l'évolution des communautés bactériennes. 71-84 *in*: A. Bianchi [éd.] Bactériologie marine: Colloque international no 331. Editions du CNRS, Paris. 240 p.
- 5.3 Legendre, P. & L. Legendre. 1990. Structure spatio-temporelle des variables en océanographie. Problèmes d'analyse numérique et méthodes d'analyse spatiale. Pp. 7-12 *in*: S. Frontier [éd.] Biométrie et océanographie. Société française de Biométrie, Actes de Colloques No 10. 177 p.
- 5.4 Legendre, P. 1990. Quantitative methods and biogeographic analysis. Pp. 9-34 *in*: Garbary, D. J. & G. R. South (eds.) Evolutionary biogeography of the marine algae of the North Atlantic. NATO ASI Series, Vol. G 22. Springer-Verlag, Berlin. [Invited paper.]
- 5.5 Legendre, P. & P. Dutilleul. 1992. Introduction to the analysis of periodic phenomena. Pp. 11-25 *in*: Ali, M. A. (ed.) Rhythms in fishes. NATO ASI Series, Vol. A-236. Plenum Publ. Co., New York. [Invited paper.]
- 5.6 Legendre, P. & M. Troussellier. 1993. Origin of spatial structures in aquatic bacterial communities: from hypotheses to numerical solutions. Pp. 353-358 *in*: Guerrero, R. & C. Pedrós-Alió (eds.) Trends in Microbial Ecology. Proc. 6th Intern. Symp. Microbial Ecology (ISME-6), Barcelona, 6-11 September 1992. Spanish Society for Microbiology. [Invited paper.]
- 5.7 Bellehumeur, C. & P. Legendre. 1995. Estimation de phénomènes régionalisés par méthodes géostatistiques: évaluation de l'acidité des lacs du Bouclier Canadien [*Estimation of regionalized phenomena by geostatistical methods: evaluation of the acidity of Canadian Shield lakes*]. P. 630-637 *in*: Environnement: analyse et intervention. Actes du 1er Colloque de l'Université de Montréal sur l'Environnement: analyse et intervention, 23-24 novembre 1994. Collection Environnement, Université de Montréal, Vol. 18. 208 p.
- 5.8 Mesplé, F., M. Troussellier & P. Legendre. 1996. Adéquation entre simulation et observation: évaluation à l'aide de la régression par l'axe majeur [*Adequacy between simulation and observation: evaluation using major axis regression*]. Comptes-rendus des Journées "Tendances nouvelles en modélisation pour l'environnement", Programme Environnement, Vie et Société du CNRS, Paris, 15-17 janvier 1996, tome 5: 101-106.
- 5.9 Makarenkov, V. & P. Legendre. 2000. Improving the additive tree representation of a dissimilarity matrix using reticulations. Pp. 35-40 *in*: Kiers, H. A. L., J.-P. Rasson, P. J. F. Groenen & M. Schader [eds.] *Data Analysis, Classification, and Related Methods*. Studies in Classification, Data Analysis, and Knowledge Organization. Springer, Berlin. (Proceedings of the IFCS-2000 Conference, Namur, Belgium, 11-14 July 2000.)
- 5.10 Makarenkov, V., E. Bazin & P. Legendre. 2001. T-REX – Software for reconstructing phylogenetic trees and reticulation networks. The multiple regression on distance matrices as a comparative method. Pp. 209-210 *in*: N. El-Mabrouk, T. Lengauer & D. Sankoff [Eds.], Currents in computational molecular biology 2001. (Proceedings of the RECOMB 2001 Conference, Montréal.) Les Publications CRM, Montréal.
- 5.11 Legendre, P., Y. Desdevises & E. Bazin. 2002. ParaFit : comment tester une hypothèse de coévolution entre des parasites et leurs hôtes [*ParaFit: how to test a hypothesis of coevolution between parasites and their hosts*]. Pp. 257-261 *in*: SFC'2002: Actes du IX^{ème} Congrès de la Société Francophone de Classification, Toulouse, 16-18 Septembre 2002.

- 5.12 Lobo, A., P. Legendre, J. L. González Rebollar, J. Carreras & J.-M. Ninot. 2002. Land cover classification at a regional scale in Iberia: separability in a multi-temporal and multi-spectral data set of satellite images. Pp. n1-n8 in: Proceedings of the Symposium "Recent Advances in Quantitative Remote Sensing", Auditori of Torrent (Spain), 16-20 September 2002.
- 5.13 Makarenkov, V. & P. Legendre. 2003. Optimal variable selection for ultrametric and additive tree clustering and *K*-means partitioning. Pp. 262-269 in: Proceedings of the 2nd International Conference on Control Sciences of the Institute of Control Sciences, RAN, Moscow, Russia, vol. 1.
- 5.14 Ouellette, M.-H., J.-L. DesGranges, P. Legendre et D. Borcard. 2005. L'arbre de régression multivariable : classification d'assemblages d'oiseaux fondée sur les caractéristiques de leur habitat [*Multivariate regression tree: classification of bird assemblages based on habitat characteristics*]. Pp. 229-232 in : Makarenkov, V., G. Cucumel et F.-J. Lapointe [éds] *Comptes rendus des 12èmes Rencontres de la Société Francophone de Classification*, Montréal, 30 mai – 1er juin 2005.
- 5.15 Legendre, P. et F.-J. Lapointe. 2005. Congruence entre matrices de distance [*Congruence among distance matrices*]. Pp. 178-181 in: Makarenkov, V., G. Cucumel et F.-J. Lapointe [éds] *Comptes rendus des 12èmes Rencontres de la Société Francophone de Classification*, Montréal, 30 mai – 1er juin 2005.
- 5.16 Blanchet, G. et P. Legendre. 2005. Analyse spatiale de la communauté végétale de la portion nord du désert du Chihuahua [*Spatial analysis of the plant community of the northern portion of the Chihuahua Desert*]. Pp. 63-66 in: Makarenkov, V., G. Cucumel et F.-J. Lapointe [éds] *Comptes rendus des 12èmes Rencontres de la Société Francophone de Classification*, Montréal, 30 mai – 1er juin 2005.
- 5.17 Durand, S. et P. Legendre. 2005. Classification et détection d'habitats benthiques à l'aide de signatures sonores [*Classification and detection of benthic habitats using sonar signatures*]. P. 130-134 in: Makarenkov, V., G. Cucumel et F.-J. Lapointe [éds] *Comptes rendus des 12èmes Rencontres de la Société Francophone de Classification*, Montréal, 30 mai – 1er juin 2005.
- 5.18 Bouchon, C., Y. Bouchon-Navaro, P. Legendre, M. Louis, N. Jean-Baptiste et W. Célestin. 2006. Diagnostic écologique des récifs coralliens de la région de Port-au-Prince à Saint-Marc (République de Haïti) [*Ecological diagnosis of coral reefs in the region from Port-au-Prince to Saint-Marc (Republic of Haiti)*]. *Conjonction* (Revue de l'Institut français d'Haïti) 213-214: 95-135.
- 5.19 Bouchon-Navaro, Y., C. Bouchon, M. Louis, P. Legendre, N. Jean-Baptiste et W. Célestin. 2006. La faune ichtyologique des récifs coralliens de la côte des Arcadins (Baie de Port-au-Prince, Haïti) [*The fish fauna of the coral reefs of the Arcadins coast (Bay of Port-au-Prince, Haiti)*]. *Conjonction* (Revue de l'Institut français d'Haïti) 213-214: 137-159.
- 5.20 Louis, M., C. Bouchon, Y. Bouchon-Navaro, P. Legendre, N. Jean-Baptiste et W. Célestin. 2006. Les herbiers de Phanérogames marines et leurs peuplements de poissons dans la partie nord de la baie de Port-au-Prince (Haïti) [*Seagrass meadows and their fish communities in the northern part of the bay of Port-au-Prince (Haiti)*]. *Conjonction* (Revue de l'Institut français d'Haïti) 213-214: 79-94.

- 5.21 Legendre, P., M. Louis, C. Bouchon et Y. Bouchon-Navaro. 2006. L'importance de la stratégie d'échantillonnage dans les études d'environnement [*Importance of the sampling strategy in environmental studies*]. *Conjonction* (Revue de l'Institut français d'Haïti) 213-214: 67-76.
- 5.22 Bellanger, L., A. Brind'Amour, P. Legendre et S. Mahévas. 2015. Analyse des structures spatiales avec la méthode MEM : principes et mise en œuvre [*Analysis of spatial structures with the MEM method: principles and implementation*]. Comptes-rendus des 22èmes rencontres de la Société Française de Classification, Université de Nantes, 9–11 septembre 2015.

6. Field data papers (refereed)

- 6.1 Lelièvre Y., J. Sarrazin, J. Marticorena, G. Schaal, T. Day, P. Legendre, S. Hourdez & M. Matabos. 2018b. Grotto hydrothermal edifice: abundance and isotopic data from Ocean Networks Canada's Expedition 2015 and 2016: Wiring the Abyss. SEANOE (SEA scieNtific Open data Edition; Data paper). <http://doi.org/10.17882/55008>. (Published 5 October 2018).
- 6.2 Lelièvre, Y., M. Matabos, P. Legendre, P.-M. Sarradin & J. Sarrazin. 2018c. Long-term and high-resolution time series datasets of vent species abundance from the Grotto hydrothermal edifice (Main Endeavour Field, Juan de Fuca Ridge). SEANOE (SEA scieNtific Open data Edition; Data paper). <https://doi.org/10.17882/57113>. (Published 5 October 2018).

7. Lexicon

Reprint in pdf: <http://numericalecology.com/Reprints/Lexique>

Legendre, P. & L. Legendre. 1999. Lexique anglais-français d'écologie numérique et de statistique. // English-French vocabulary of numerical ecology and statistics. Département de sciences biologiques, Université de Montréal.

=====